

SAFETY DATA SHEETS

This SDS packet was issued with item:

078927782

N/A

MSDS Material Safety Data

JorVet™



I-Glo Fluorescein Sodium Ophthalmic Strips

Product Number J1191

Reviewed: 12/26/2014

Jorgensen Laboratories, Inc.
Veterinary Specialties
1450 N. Van Buren
Loveland, CO. 80538

24 Hour Emergency Telephone:
INFOTRAC: (800)535-5053

All non-emergency questions may be directed to customer service @ (800)525-5614 or fax (970)663-5042

COMPOSITION / IDENTIFICATION

Ingredients/Components:	CAS Number	%
Fluorescein sodium 1.0 mg	518-47-8	100
1- inch strip of impregnated substance on each sterile individually wrapped test strip		

EMERGENCY OVERVIEW

SYSTEM	SYMPTOMS OF EXPOSURE	FIRST AID PROCEDURES
INHALATION	Respiratory distress	Remove from source and into fresh air. Call physician
SKIN	Yellowish skin discoloration/itching/hives	Remove from source, flush with large amounts of water 20 minutes. Call physician
EYES	May cause eye irritation	Remove from source, flush with large amounts of water 20 minutes. Call physician
INGESTION	May be harmful if swallowed	If swallowed call physician immediately. Be sure to tell medical personnel about the substance. Effects of ingestion exposure may be delayed.
REPRODUCTION/TERATOLOGY/CARCINOGENICITY		None known.

POTENTIAL HEALTH EFFECTS

SEE EMERGENCY OVERVIEW

FIRST AID MEASURES

SEE EMERGENCY OVERVIEW

FIRE FIGHTING MEASURES

NFPA Rating (Fluorescein sodium)	HMIS Classification: (Fluorescein sodium)
Health: 0	0
Flammability: 0	0
Reactivity: 0	0 (Physical Hazard)

FLAMMABLE PROPERTIES NA **FLASHPOINT** NA
FIRE EXTINGUISHING MEDIA: Use extinguishing media for the nature of fire in immediate environment. No known un-suitable extinguishing media.
INCOMPATIBLE MATERIALS None known
FIREFIGHTING PERSONAL PROTECTIVE EQUIPMENT: Safety glasses, gloves, lab coat; general GLP – good laboratory practice

ACCIDENTAL RELEASE MEASURES

Each test strip has a 1-inch impregnated strip of substance. It is not expected to require emergency clean up beyond proper disposal in laboratory waste receptacle.

HANDLING AND STORAGE

STORAGE Store in a cool and dry environment

HANDLING Handle with gloves if sensitive to substance. Each strip is individually sealed.

PERSONAL PROTECTION/EXPOSURE CONTROLS

Practice proper laboratory safety measures with gloves, lab coat, etc.

PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:	Solid white strips with 1- inch red-orange tip
ODOR:	NA
SOLUBILITY:	NA
SPECIFIC GRAVITY:	NA
pH:	NA
% VOLATILES by VOLUME:	NA

STABILITY AND REACTIVITY

STABILITY: Stable when stored under recommended conditions

HAZARDOUS DECOMPOSITION PRODUCTS: Not known to be hazardous

HAZARDOUS POLYMERIZATION: Does not occur

INCOMPATIBILITIES/HAZARDOUS REACTIONS: None known

CONDITIONS to AVOID: Do not get the product wet. Discard if it becomes wet.

TOXICOLOGICAL/ECOLOGICAL INFORMATION

TOXICOLOGICAL DATA/ENVIRONMENTAL TOXICITY: NO known toxicity to land or aquatic environments.

DISPOSAL INFORMATION

Dispose of strips in a proper laboratory waste container. Contact your local health environmental health and safety department for further instructions.

OTHER INFORMATION

TRANSPORT (Land, DOT): This product is not classified as hazardous and is not regulated for transportation.

Jorgensen Laboratories, Inc. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgment in determining its appropriateness for a particular purpose. JORGENSEN LABORATORIES, INC. MAKES NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESSED OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THE INFORMATION SET FORTH HEREIN OR THE PRODUCT TO WHICH THE INFORMATION REFERS, ACCORDINGLY, JORGENSEN LABORATORIES, INC. WILL NOT BE RESPONSIBLE FOR DAMAGES RESULTING FROM USE OF OR RELIANCE UPON THIS INFORMATION.