

SAFETY DATA SHEETS

This SDS packet was issued with item:

078915103

N/A

SAFETY DATA SHEET
Co-Ral® Fly & Tick Spray

122000007053

Version 2.0

Revision Date 04/23/2015

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**Product information**

Product Name: Co-Ral® Fly & Tick Spray
SDS Number: 122000007053

Use : Pesticide

Company

BAYER HEALTHCARE LLC
Animal Health Division
12707 Shawnee Mission Parkway
(West 63rd)
Shawnee, KS 66216-1846
USA
(800) 633-3796

In case of emergency: (800) 422-9874
Chemtrec: (800) 424-9300
BAYER INFORMATION PHONE:(800) 633-3796
INTERNATIONAL:(703) 527-3887

2. HAZARDS IDENTIFICATION**Emergency Overview**

Colour: brown **Form:** liquid **Odour:** solvent-like.

GHS Classification:

Acute toxicity (Oral) : Category 3
Carcinogenicity : Category 1B

GHS Label element:

Hazard pictograms :



Signal word : Danger

Hazard statements : H301 Toxic if swallowed.
H350 May cause cancer.

Precautionary statements : **Prevention:**
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
Response:
P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Other hazards which do not result in classification:

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Ingredients:

Weight percent	Components	CAS-No.
6.15%	Coumaphos Technical	56-72-4
50 - 100%	Catalytic reformer petroleum distillate	68477-31-6
10 - 30%	Naphthalene	91-20-3

4. FIRST AID MEASURES

General advice: Take off all contaminated clothing immediately.

If inhaled: Remove to fresh air. Call a physician immediately.

In case of skin contact: After contact with skin, wash immediately with plenty of soap and water. If skin reactions occur, contact a physician.

In case of eye contact: In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

If swallowed: If swallowed, seek medical advice immediately and show this container or label.

Contact Number: Use the Bayer Emergency Number in Section 1

5. FIREFIGHTING MEASURES

Suitable extinguishing media: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media: High volume water jet

Specific hazards during firefighting: Fire may cause evolution of: Sulphur oxides Oxides of phosphorus Chlorine gas Hydrogen chloride gas Carbon oxides

Special protective equipment for firefighters: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

Further information: Prevent fire extinguishing water from contaminating surface water or the ground water system.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Use personal protective equipment.

Methods for cleaning up: Cover spilt product with liquid-binding material (sand, silica gel, acid binder, universal binder, hybilat). Take up mechanically and fill into labelled, closable containers.

Additional advice: No special precautions required.

Further Accidental Release Notes No special precautions required.

7. HANDLING AND STORAGE

Handling:

Avoid formation of aerosol. Only handle product with local exhaust ventilation. Avoid contact with skin, eyes and clothing.

No special protective measures against fire required.

Storage:

Storage temperature: < 95 °F (< 35 °C)

Do not freeze.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Naphthalene (91-20-3)

US. ACGIH Threshold Limit Values

Time Weighted Average (TWA): 10 ppm

US. ACGIH Threshold Limit Values

Short Term Exposure Limit (STEL): 15 ppm

SAFETY DATA SHEET

Co-Ral® Fly & Tick Spray

122000007053

Version 2.0

Revision Date 04/23/2015

US. ACGIH Threshold Limit Values

Skin designation: Can be absorbed through the skin.

US. NIOSH: Pocket Guide to Chemical Hazards

Recommended exposure limit (REL): 10 ppm, 50 mg/m³

US. NIOSH: Pocket Guide to Chemical Hazards

Short Term Exposure Limit (STEL): 15 ppm, 75 mg/m³

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

PEL: 10 ppm, 50 mg/m³

Coumaphos Technical (56-72-4)

US. ACGIH Threshold Limit Values

Time Weighted Average (TWA): 0.05 mg/m³ (Inhalable fraction and vapor.)

US. ACGIH Threshold Limit Values

Skin designation: (Inhalable fraction and vapor.) Can be absorbed through the skin.

Respiratory protection:

Recommended Filter type: Organic vapor with prefilter

Hand protection:

Chemically resistant gloves.

Eye protection:

Safety glasses

Other protective measures:

Wear suitable protective equipment.

Please consult label for end-user requirements.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form:	liquid
Colour:	brown
Odour:	solvent-like
Odour Threshold:	No applicable information is available
Melting point:	-12 °C
Boiling point/boiling range:	No applicable information is available
Density:	1.02 g/cm ³ at 68 °F (20 °C)
Bulk density:	No applicable information is available
Vapour pressure:	No applicable information is available
Viscosity, dynamic:	No applicable information is available
Viscosity, kinematic:	No applicable information is available
Flow time:	No applicable information is available
Surface tension:	No applicable information is available
Miscibility with water:	emulsifiable
Water solubility:	No applicable information is available
pH:	No applicable information is available
Relative density:	No applicable information is available

SAFETY DATA SHEET
Co-Ral® Fly & Tick Spray

122000007053

Version 2.0

Revision Date 04/23/2015

Partition coefficient:	No applicable information is available
Solubility(ies):	No applicable information is available
Flash point:	No applicable information is available
Flammability (solid, gas):	No applicable information is available
Ignition temperature:	No applicable information is available
Explosion limits:	No applicable information is available

10. STABILITY AND REACTIVITY

Conditions to avoid: No data available

Materials to avoid: Oxidizing agents
Bases

Hazardous reactions: No data available

Thermal decomposition:

No data available

Hazardous decomposition products:

Sulphur oxides, Oxides of phosphorus, Chlorine gas, Hydrogen chloride gas, Carbon oxides

Oxidizing properties:

No statements available.

Impact sensitivity:

No data available

11. TOXICOLOGICAL INFORMATION

Acute oral toxicity:

LD50 Rat : 395 mg/kg

Acute inhalation toxicity:

Rat: > 1.09 mg/l

Acute dermal toxicity:

LD50 Rabbit: > 3,000 mg/kg

Acute toxicity (other routes of administration):

Coumaphos Technical

LD50 intraperitoneal Rat: 7500 µg/kg

Skin irritation:

Result: Mild skin irritation

Eye irritation:

Result: Mild eye irritation

Sensitisation:

Coumaphos Technical
guinea pig

Result: Does not cause skin sensitisation.

Pharmaceutic effects:

Coumaphos Technical
Antiparasitic agent

CMR Assessment:

Naphthalene

Carcinogenicity: Suspected of causing cancer.

Carcinogenicity:

Naphthalene

STOT - single exposure:

No data available

STOT - repeated exposure:

No data available

12. ECOLOGICAL INFORMATION

General advice:

Do not allow to enter surface waters or groundwater.

Toxicity to fish:

Coumaphos Technical
LC50 0.18 mg/l
Duration of test: 96 h

Toxicity to daphnia and other aquatic invertebrates:

Coumaphos Technical
EC50 0.000192 mg/l
Test species: Daphnia (water flea) Duration of test: 48 h

Toxicity to algae:

Coumaphos Technical
Cell multiplication inhibition test EbC50 0.2 mg/l
tested on: Desmodesmus subspicatus (green algae) Duration of test: 72 h

Cell multiplication inhibition test ErC50 0.61 mg/l
tested on: Desmodesmus subspicatus (green algae) Duration of test: 72 h

Cell multiplication inhibition test NOEbC 0.115 mg/l
tested on: Desmodesmus subspicatus (green algae)

Cell multiplication inhibition test NOErC 0.115 mg/l
tested on: Desmodesmus subspicatus (green algae)

SAFETY DATA SHEET
Co-Ral® Fly & Tick Spray

122000007053

Version 2.0

Revision Date 04/23/2015

Biodegradability:

Coumaphos Technical

1 %, 28 d Not readily biodegradable.

13. DISPOSAL CONSIDERATIONS

If discarded in its purchased form, this product would not be a hazardous waste either by listing or by characteristic. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste. (40 CFR 261.20-24)

Waste disposal should be in accordance with existing federal, state and local environmental control laws.

14. TRANSPORT INFORMATION

Please note the classifications shown are for bulk shipments. Limited quantities or other exemptions may apply.

Land transport (CFR)

Proper shipping name: ORGANOPHOSPHORUS PESTICIDE, LIQUID, TOXIC
Hazard Class or Division: 6.1
UN/NA Number: UN3018
Packaging group: III
Hazard Label(s): Toxic
Marine pollutant: Marine pollutant

US Sea transport (IMDG)

Proper shipping name: ORGANOPHOSPHORUS PESTICIDE, LIQUID, TOXIC
Hazard Class or Division: 6.1
UN number: UN3018
Packaging group: III
Hazard Label(s): TOXIC
Marine pollutant: Marine pollutant

US Air transport (ICAO / IATA cargo aircraft only)

Proper shipping name: ORGANOPHOSPHORUS PESTICIDE, LIQUID, TOXIC
Hazard Class or Division: 6.1
UN/ID Number: UN3018
Packaging group: III
Hazard Label(s): TOXIC
Marine pollutant: Marine pollutant

US Air transport (ICAO / IATA passenger and cargo aircraft)

Proper shipping name: ORGANOPHOSPHORUS PESTICIDE, LIQUID, TOXIC
Hazard Class or Division: 6.1
UN/ID Number: UN3018
Packaging group: III
Hazard Label(s): TOXIC
Marine pollutant: Marine pollutant

SAFETY DATA SHEET
Co-Ral® Fly & Tick Spray

12200007053

Version 2.0

Revision Date 04/23/2015

International IATA

UN Number	3018
Description of the goods	ORGANOPHOSPHORUS PESTICIDE, LIQUID, TOXIC (COUMAPHOS)
Class	6.1
Packaging group	III
Dangerous goods labels	6.1
Environmentally hazardous	yes

International IMDG

UN Number	3018
Description of the goods	ORGANOPHOSPHORUS PESTICIDE, LIQUID, TOXIC (COUMAPHOS)
Class	6.1
Packaging group	III
IMDG-Labels	6.1
Marine pollutant	yes

15. REGULATORY INFORMATION

Other regulations: No statements available.

FIFRA Status This product is registered with the EPA under FIFRA.

US. Toxic Substances Control Act This product is excluded from TSCA Regulation under FIFRA Section 3 (2)(B)(ii) when used as a pesticide.

Reportable Quantity 73.8 kg

US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 302 Extremely Hazardous Substance (40 CFR 355, Appendix A)

Components

Coumaphos Technical

SARA Section 311/312 Hazard Categories Immediate Health Hazard, Delayed Health Hazard, Fire Hazard

US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 313 Toxic Chemicals (40 CFR 372.65) - Supplier Notification Required

Components

Naphthalene

US. EPA CERCLA Hazardous Substances (40 CFR 302) Components

Coumaphos Technical	Reportable quantity: 10 lbs
Naphthalene	Reportable quantity: 100 lbs

Marine pollutant Components

Coumaphos Technical Severe marine pollutant.

SAFETY DATA SHEET
Co-Ral® Fly & Tick Spray

122000007053

Version 2.0

Revision Date 04/23/2015

Massachusetts, New Jersey or Pennsylvania Right to Know Substance Lists

Weight percent	Components	CAS-No.
5 - 10%	Coumaphos Technical	56-72-4
10 - 30%	Naphthalene	91-20-3

New Jersey Environmental Hazardous Substances List and/or New Jersey RTK Special Hazardous Substances Lists

Weight percent	Components	CAS-No.
5 - 10%	Coumaphos Technical	56-72-4
0.1 - 1%	Tradesecret	
10 - 30%	Naphthalene	91-20-3

California Prop. 65

Weight percent	Components	CAS-No.
<0.001%		
10 - 30%	Naphthalene	91-20-3

OSHA Hazcom Standard Rating Hazardous

16. OTHER INFORMATION

NFPA 704M Rating

Health	3
Flammability	2
Reactivity	0
Other	0

0=Insignificant 1=Slight 2=Moderate 3=High 4=Extreme

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

SAFETY DATA SHEET
Co-Ral® Fly & Tick Spray

122000007053

Version 2.0

Revision Date 04/23/2015

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**Product information**

Product Name: Co-Ral® Fly & Tick Spray
SDS Number: 122000007053

Use : Pesticide

Company

BAYER HEALTHCARE LLC
Animal Health Division
12707 Shawnee Mission Parkway
(West 63rd)
Shawnee, KS 66216-1846
USA
(800) 633-3796

In case of emergency: (800) 422-9874
Chemtrec: (800) 424-9300
BAYER INFORMATION PHONE:(800) 633-3796
INTERNATIONAL:(703) 527-3887

2. HAZARDS IDENTIFICATION**Emergency Overview**

Colour: brown **Form:** liquid **Odour:** solvent-like.

GHS Classification:

Acute toxicity (Oral) : Category 3
Carcinogenicity : Category 1B

GHS Label element:

Hazard pictograms :



Signal word : Danger

Hazard statements : H301 Toxic if swallowed.
H350 May cause cancer.

Precautionary statements : **Prevention:**
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
Response:
P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Other hazards which do not result in classification:

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Ingredients:

Weight percent	Components	CAS-No.
6.15%	Coumaphos Technical	56-72-4
50 - 100%	Catalytic reformer petroleum distillate	68477-31-6
10 - 30%	Naphthalene	91-20-3

4. FIRST AID MEASURES

General advice: Take off all contaminated clothing immediately.

If inhaled: Remove to fresh air. Call a physician immediately.

In case of skin contact: After contact with skin, wash immediately with plenty of soap and water. If skin reactions occur, contact a physician.

In case of eye contact: In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

If swallowed: If swallowed, seek medical advice immediately and show this container or label.

Contact Number: Use the Bayer Emergency Number in Section 1

5. FIREFIGHTING MEASURES

Suitable extinguishing media: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media: High volume water jet

Specific hazards during firefighting: Fire may cause evolution of: Sulphur oxides Oxides of phosphorus Chlorine gas Hydrogen chloride gas Carbon oxides

Special protective equipment for firefighters: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

Further information: Prevent fire extinguishing water from contaminating surface water or the ground water system.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Use personal protective equipment.

Methods for cleaning up: Cover spilt product with liquid-binding material (sand, silica gel, acid binder, universal binder, hybilat). Take up mechanically and fill into labelled, closable containers.

Additional advice: No special precautions required.

Further Accidental Release Notes No special precautions required.

7. HANDLING AND STORAGE

Handling:

Avoid formation of aerosol. Only handle product with local exhaust ventilation. Avoid contact with skin, eyes and clothing.

No special protective measures against fire required.

Storage:

Storage temperature: < 95 °F (< 35 °C)

Do not freeze.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Naphthalene (91-20-3)

US. ACGIH Threshold Limit Values

Time Weighted Average (TWA): 10 ppm

US. ACGIH Threshold Limit Values

Short Term Exposure Limit (STEL): 15 ppm

SAFETY DATA SHEET

Co-Ral® Fly & Tick Spray

122000007053

Version 2.0

Revision Date 04/23/2015

US. ACGIH Threshold Limit Values

Skin designation: Can be absorbed through the skin.

US. NIOSH: Pocket Guide to Chemical Hazards

Recommended exposure limit (REL): 10 ppm, 50 mg/m³

US. NIOSH: Pocket Guide to Chemical Hazards

Short Term Exposure Limit (STEL): 15 ppm, 75 mg/m³

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

PEL: 10 ppm, 50 mg/m³

Coumaphos Technical (56-72-4)

US. ACGIH Threshold Limit Values

Time Weighted Average (TWA): 0.05 mg/m³ (Inhalable fraction and vapor.)

US. ACGIH Threshold Limit Values

Skin designation: (Inhalable fraction and vapor.) Can be absorbed through the skin.

Respiratory protection:

Recommended Filter type: Organic vapor with prefilter

Hand protection:

Chemically resistant gloves.

Eye protection:

Safety glasses

Other protective measures:

Wear suitable protective equipment.

Please consult label for end-user requirements.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form:	liquid
Colour:	brown
Odour:	solvent-like
Odour Threshold:	No applicable information is available
Melting point:	-12 °C
Boiling point/boiling range:	No applicable information is available
Density:	1.02 g/cm ³ at 68 °F (20 °C)
Bulk density:	No applicable information is available
Vapour pressure:	No applicable information is available
Viscosity, dynamic:	No applicable information is available
Viscosity, kinematic:	No applicable information is available
Flow time:	No applicable information is available
Surface tension:	No applicable information is available
Miscibility with water:	emulsifiable
Water solubility:	No applicable information is available
pH:	No applicable information is available
Relative density:	No applicable information is available

SAFETY DATA SHEET
Co-Ral® Fly & Tick Spray

122000007053

Version 2.0

Revision Date 04/23/2015

Partition coefficient:	No applicable information is available
Solubility(ies):	No applicable information is available
Flash point:	No applicable information is available
Flammability (solid, gas):	No applicable information is available
Ignition temperature:	No applicable information is available
Explosion limits:	No applicable information is available

10. STABILITY AND REACTIVITY

Conditions to avoid: No data available

Materials to avoid: Oxidizing agents
Bases

Hazardous reactions: No data available

Thermal decomposition:

No data available

Hazardous decomposition products:

Sulphur oxides, Oxides of phosphorus, Chlorine gas, Hydrogen chloride gas, Carbon oxides

Oxidizing properties:

No statements available.

Impact sensitivity:

No data available

11. TOXICOLOGICAL INFORMATION

Acute oral toxicity:

LD50 Rat : 395 mg/kg

Acute inhalation toxicity:

Rat: > 1.09 mg/l

Acute dermal toxicity:

LD50 Rabbit: > 3,000 mg/kg

Acute toxicity (other routes of administration):

Coumaphos Technical

LD50 intraperitoneal Rat: 7500 µg/kg

Skin irritation:

Result: Mild skin irritation

Eye irritation:

Result: Mild eye irritation

Sensitisation:

Coumaphos Technical

guinea pig

Result: Does not cause skin sensitisation.

Pharmaceutic effects:

Coumaphos Technical

Antiparasitic agent

CMR Assessment:

Naphthalene

Carcinogenicity: Suspected of causing cancer.

Carcinogenicity:

Naphthalene

STOT - single exposure:

No data available

STOT - repeated exposure:

No data available

12. ECOLOGICAL INFORMATION

General advice:

Do not allow to enter surface waters or groundwater.

Toxicity to fish:

Coumaphos Technical

LC50 0.18 mg/l

Duration of test: 96 h

Toxicity to daphnia and other aquatic invertebrates:

Coumaphos Technical

EC50 0.000192 mg/l

Test species: Daphnia (water flea) Duration of test: 48 h

Toxicity to algae:

Coumaphos Technical

Cell multiplication inhibition test EbC50 0.2 mg/l

tested on: Desmodesmus subspicatus (green algae) Duration of test: 72 h

Cell multiplication inhibition test ErC50 0.61 mg/l

tested on: Desmodesmus subspicatus (green algae) Duration of test: 72 h

Cell multiplication inhibition test NOEbC 0.115 mg/l

tested on: Desmodesmus subspicatus (green algae)

Cell multiplication inhibition test NOErC 0.115 mg/l

tested on: Desmodesmus subspicatus (green algae)

SAFETY DATA SHEET
Co-Ral® Fly & Tick Spray

122000007053

Version 2.0

Revision Date 04/23/2015

Biodegradability:

Coumaphos Technical

1 %, 28 d Not readily biodegradable.

13. DISPOSAL CONSIDERATIONS

If discarded in its purchased form, this product would not be a hazardous waste either by listing or by characteristic. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste. (40 CFR 261.20-24)

Waste disposal should be in accordance with existing federal, state and local environmental control laws.

14. TRANSPORT INFORMATION

Please note the classifications shown are for bulk shipments. Limited quantities or other exemptions may apply.

Land transport (CFR)

Proper shipping name: ORGANOPHOSPHORUS PESTICIDE, LIQUID, TOXIC
Hazard Class or Division: 6.1
UN/NA Number: UN3018
Packaging group: III
Hazard Label(s): Toxic
Marine pollutant: Marine pollutant

US Sea transport (IMDG)

Proper shipping name: ORGANOPHOSPHORUS PESTICIDE, LIQUID, TOXIC
Hazard Class or Division: 6.1
UN number: UN3018
Packaging group: III
Hazard Label(s): TOXIC
Marine pollutant: Marine pollutant

US Air transport (ICAO / IATA cargo aircraft only)

Proper shipping name: ORGANOPHOSPHORUS PESTICIDE, LIQUID, TOXIC
Hazard Class or Division: 6.1
UN/ID Number: UN3018
Packaging group: III
Hazard Label(s): TOXIC
Marine pollutant: Marine pollutant

US Air transport (ICAO / IATA passenger and cargo aircraft)

Proper shipping name: ORGANOPHOSPHORUS PESTICIDE, LIQUID, TOXIC
Hazard Class or Division: 6.1
UN/ID Number: UN3018
Packaging group: III
Hazard Label(s): TOXIC
Marine pollutant: Marine pollutant

SAFETY DATA SHEET
Co-Ral® Fly & Tick Spray

12200007053

Version 2.0

Revision Date 04/23/2015

International IATA

UN Number	3018
Description of the goods	ORGANOPHOSPHORUS PESTICIDE, LIQUID, TOXIC (COUMAPHOS)
Class	6.1
Packaging group	III
Dangerous goods labels	6.1
Environmentally hazardous	yes

International IMDG

UN Number	3018
Description of the goods	ORGANOPHOSPHORUS PESTICIDE, LIQUID, TOXIC (COUMAPHOS)
Class	6.1
Packaging group	III
IMDG-Labels	6.1
Marine pollutant	yes

15. REGULATORY INFORMATION

Other regulations: No statements available.

FIFRA Status This product is registered with the EPA under FIFRA.

US. Toxic Substances Control Act This product is excluded from TSCA Regulation under FIFRA Section 3 (2)(B)(ii) when used as a pesticide.

Reportable Quantity 73.8 kg

US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 302 Extremely Hazardous Substance (40 CFR 355, Appendix A)

Components

Coumaphos Technical

SARA Section 311/312 Hazard Categories Immediate Health Hazard, Delayed Health Hazard, Fire Hazard

US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 313 Toxic Chemicals (40 CFR 372.65) - Supplier Notification Required

Components

Naphthalene

US. EPA CERCLA Hazardous Substances (40 CFR 302) Components

Coumaphos Technical	Reportable quantity: 10 lbs
Naphthalene	Reportable quantity: 100 lbs

Marine pollutant Components

Coumaphos Technical Severe marine pollutant.

SAFETY DATA SHEET
Co-Ral® Fly & Tick Spray

122000007053

Version 2.0

Revision Date 04/23/2015

Massachusetts, New Jersey or Pennsylvania Right to Know Substance Lists

Weight percent	Components	CAS-No.
5 - 10%	Coumaphos Technical	56-72-4
10 - 30%	Naphthalene	91-20-3

New Jersey Environmental Hazardous Substances List and/or New Jersey RTK Special Hazardous Substances Lists

Weight percent	Components	CAS-No.
5 - 10%	Coumaphos Technical	56-72-4
0.1 - 1%	Tradesecret	
10 - 30%	Naphthalene	91-20-3

California Prop. 65

Weight percent	Components	CAS-No.
<0.001%		
10 - 30%	Naphthalene	91-20-3

OSHA Hazcom Standard Rating Hazardous

16. OTHER INFORMATION

NFPA 704M Rating

Health	3
Flammability	2
Reactivity	0
Other	0

0=Insignificant 1=Slight 2=Moderate 3=High 4=Extreme

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.