SAFETY DATA SHEETS

This SDS packet was issued with item:

078911795

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

078911796 078911797



Version 1.1 Revision Date 02/08/2013

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product information

Product Name: RAVAP® EC MSDS Number: 122000008512

Use : Insect-repellent

Company

BAYER HEALTHCARE LLC Animal Health Division 12707 Shawnee Mission Parkway (West 63rd) Shawnee, KS 66216-1846 USA (800) 633-3796

In case of emergency: (800) 422-9874

Chemtrec: (800) 424-9300

BAYER INFORMATION PHONE: (800) 633-3796

INTERNATIONAL: (703) 527-3887

2. HAZARDS IDENTIFICATION

Emergency Overview

DANGER! Combustible Liquid, Do not pierce or burn, even after use. Do not spray on a naked flame, incandescent material and heated equipment., Corrosive Colour: clear Form: liquid Odour: aromatic.

May cause allergic skin reaction. Causes skin burns. Corrosive - causes irreversible eye damage. Harmful if swallowed. May cause damage to organs through prolonged or repeated exposure. Suspected of causing genetic defects.

Hazard Communication (29CFR 1910.1200)

Acute Eye Hazards Corrosive - causes irreversible eye damage.

No Carcinogenic substances as defined by IARC, NTP and/or OSHA

3. COMPOSITION/INFORMATION ON INGREDIENTS

Version 1.1 Revision Date 02/08/2013

Weight percent Components CAS-No. 10 - 30% Phenol 108-95-2

Other Ingredients

Weight percentComponentsCAS-No.23%Tetrachlorvinphos22248-79-9

5.3% Dichlorvos 62-73-7

4. FIRST AID MEASURES

General advice: Take off all contaminated clothing immediately.

If inhaled: Remove to fresh air. Call a physician immediately.

In case of skin contact: After contact with skin, wash immediately with plenty of soap and water. If skin reactions occur, contact a physician.

In case of eye contact: In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

If swallowed: If swallowed, seek medical advice immediately and show this container or label.

Note to Physician: This product is a cholinesterase inhibitor. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal. 2-PAM is also antidotal and may be administered, but only in conjunction with atropine. Product may cause aspiration pneumonia. Probable mucosal damage may contraindicate the use of gastric lavage.

Contact Number: Use the Bayer Emergency Number in Section 1

5. FIREFIGHTING MEASURES

Suitable extinguishing media: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media: High volume water jet

Specific hazards during firefighting: Fire may cause evolution of: Carbon monoxide Carbon dioxide (CO2)

Special protective equipment for firefighters: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

Further information: Prevent fire extinguishing water from contaminating surface water or the ground water system.

Version 1.1

Revision Date 02/08/2013

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Use personal protective equipment.

Methods for cleaning up: Cover spilt product with liquid-binding material (sand, silica gel, acid binder, universal binder, hybilat). Take up mechanically and fill into labelled, closable containers.

Additional advice: Keep away from/remove sources of ignition.

Further Accidental

Keep away from/remove sources of ignition.

Release Notes

7. HANDLING AND STORAGE

Handling:

Avoid formation of aerosol. Only handle product with local exhaust ventilation. Avoid contact with skin, eyes and clothing.

Take measures to prevent the build up of electrostatic charge. Keep away from open flames, hot surfaces and sources of ignition.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Phenol (108-95-2)

Dichlorvos (62-73-7)

Respiratory protection:

Recommended Filter type: Organic vapor with prefilter

Hand protection:

Hand protection: protective gloves for chemicals made of

butyl-rubber

Neoprene

PVC

Breakthrough time not tested; dispose of immediately after contamination. Advice: The gloves should not be reused.

Eye protection:

Safety glasses

Other protective measures:

Wear suitable protective equipment.

Version 1.1 Revision Date 02/08/2013

9. PHYSICAL AND CHEMICAL PROPERTIES

Form: liquid
Colour: clear
Odour: aromatic
Melting point: > 350 °F
Density: 1.055 g/cm³

Flash point: 154.04 °F (67.8 °C) ASTM D 93

10. STABILITY AND REACTIVITY

Conditions to avoid: no data available

Materials to avoid: Oxidizing agents

Hazardous reactions: None known.

Thermal decomposition:

no data available

Hazardous decomposition products:

Carbon monoxide, Carbon dioxide (CO2)

Oxidizing properties:

No statements available.

Impact Sensitivity:

no data available

11. TOXICOLOGICAL INFORMATION

Acute oral toxicity:

LD50 rat: 500 mg/kg

Acute inhalation toxicity:

LC50 2.16 mg/l, 4 h

Under the conditions of the test no mortality caused.

Acute dermal toxicity:

LD50 rabbit: > 2,000 mg/kg

Version 1.1

Revision Date 02/08/2013

Acute toxicity (other routes of administration):

Phenol

LD50 intravenous mouse: 112 mg/kg

Skin irritation:Result: Skin irritation

Eye irritation: Result: Eye irritation

Sensitisation:

May cause sensitization of susceptible persons.

Genotoxicity in vitro:

Phenol

Chromosome aberration test in vitro

Result: positve

12. ECOLOGICAL INFORMATION

General advice:

Do not allow to enter surface waters or groundwater.

Toxicity to fish:

Phenol

LC50 8.9 mg/l

Test species: Oncorhynchus mykiss (rainbow trout) Duration of test: 96 h

Tetrachlorvinphos LC50 0.5 mg/l

Test species: Lepomis macrochirus (Bluegill) Duration of test: 96 h

Dichlorvos LC50 200 µg/l

Test species: Oncorhynchus mykiss (rainbow trout) Duration of test: 96 h

LC50 450 µg/l

Test species: Leuciscus idus (Golden orfe) Duration of test: 96 h

Toxicity to daphnia and other aquatic invertebrates:

Phenol

EC50 9 mg/l

Test species: Daphnia magna (Water flea) Duration of test: 24 h

Tetrachlorvinphos EC50 0.002 mg/l

Test species: Daphnia magna (Water flea) Duration of test: 48 h

Dichlorvos LC50 19 µg/l

Test species: Daphnia Duration of test: 48 h

Version 1.1 Revision Date 02/08/2013

Toxicity to algae:

Phenol

IC50 150 mg/l

tested on: Pseudokirchneriella subcapitata (green algae) Duration of test: 96 h

Method: OECD Test Guideline 201

Toxicity to bacteria:

Phenol

EC50 766 mg/l

tested on: activated sludge micro-organism

Duration of test: 3 h

Biodegradability:

Phenol 85 %, 14 d

Method: OECD TG 301 C

Readily biodegradable, according to appropriate OECD test.

100 %, 6 d

Method: OECD TG 302 B

Bioaccumulation:

Phenol

yes, Bioaccumulation is unlikely.

13. DISPOSAL CONSIDERATIONS

If discarded in its purchased form, this product would not be a hazardous waste either by listing or by characteristic. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste. (40 CFR 261.20-24)

Waste disposal should be in accordance with existing federal, state and local environmental control laws.

14. TRANSPORT INFORMATION

Land transport (CFR)

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains DICHLORVOS)

Hazard Class or Division: 9
UN/NA Number: UN3082
Packaging group III
Hazard Label(s): Class 9

Marine Pollutant: Marine pollutant

Sea transport (IMDG)

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains DICHLORVOS)

Page 6 of 8

Version 1.1 Revision Date 02/08/2013

Hazard Class or Division:

UN number: UN3082 Packaging group: III

Hazard Label(s): MISCELLANEOUS Marine Pollutant: Marine pollutant

Air transport (ICAO / IATA cargo aircraft only)

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains DICHLORVOS)

Hazard Class or Division: 9

UN/ID Number: UN3082 Packaging group: III

Hazard Label(s): MISCELLANEOUS Marine Pollutant: Marine pollutant

Air transport (ICAO / IATA passenger and cargo aircraft)

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains DICHLORVOS)

Hazard Class or Division: 9

UN/ID Number: UN3082 Packaging group: III

Hazard Label(s): MISCELLANEOUS Marine Pollutant: Marine pollutant

15. REGULATORY INFORMATION

 $\begin{array}{ll} \textbf{Other regulations:} \ \ \text{No statements available.} \\ \textbf{Reportable Quantity} & 85.6 \ \mathrm{kg} \end{array}$

US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 302 Extremely Hazardous Substance (40 CFR 355, Appendix A)

Components

Dichlorvos Phenol

US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 313 Toxic Chemicals (40 CFR 372.65) - Supplier Notification Required Components

Dichlorvos Phenol

US. EPA CERCLA Hazardous Substances (40 CFR 302)Components

Dichlorvos Reportable quantity: 10 lbs
Phenol Reportable quantity: 1000 lbs

Marine Pollutant Components

Dichlorvos Severe marine pollutant.

Version 1.1 Revision Date 02/08/2013

Massachusetts, New Jersey or Pennsylvania Right to Know Substance Lists

Weight percent Components CAS-No.

3 - 7% Dichlorvos 62-73-7

10 - 30% Phenol 108-95-2

New Jersey Environmental Hazardous Substances List and/or New Jersey RTK Special Hazardous Substances Lists

Weight percentComponentsCAS-No.3 - 7%Dichlorvos62-73-7

10 - 30% Phenol 108-95-2

California Prop. 65

To the best of our knowledge, this product does not contain any of the listed chemicals, which the state of California has found to cause cancer, birth defects or other reproductive harm.

OSHA Hazcom Standard Rating Hazardous

16. OTHER INFORMATION

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



Version 4.0 Revision Date 06/13/2016

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product information

Product Name: RAVAP® EC SDS Number: 122000008512

Use : Restricted Use Pesticide

Company

Bayer HealthCare, LLC Animal Health Division 12707 Shawnee Mission Parkway (West 63rd) Shawnee, KS 66216-1846 UNITED STATES OF AMERICA (800) 633-3796

In case of emergency: (800) 422-9874

Chemtrec: (800) 424-9300

BAYER INFORMATION PHONE: (800) 633-3796

INTERNATIONAL: (703) 527-3887

2. HAZARDS IDENTIFICATION

Emergency Overview

Colour: clear Form: liquid Odour: aromatic.

GHS Classification:

Acute toxicity (Oral): Category 4Eye irritation: Category 2Skin irritation: Category 2Skin sensitization: Category 1Germ cell mutagenicity: Category 2Specific target organ: Category 2

toxicity - repeated exposure

GHS Label element:

Hazard pictograms





Signal word : Warning

Version 4.0 Revision Date 06/13/2016

Hazard statements: H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

H341 Suspected of causing genetic defects.

H373 May cause damage to organs through prolonged or

repeated exposure.

Precautionary statements: Prevention:

P201 Obtain special instructions before use.

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/ eye protection/ face protection.

P281 Use personal protective equipment as required.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Other hazards which do not result in classification:

The material can accumulate static charge and can therefore cause electrical ignition.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Weight percent	Components	CAS-No.
23%	Tetrachlorvinphos	22248-79-9

14% Phenol 108-95-2

Other Ingredients

Weight percentComponentsCAS-No.5.3%Dichlorvos62-73-7

4. FIRST AID MEASURES

General advice: Take off all contaminated clothing immediately.

If inhaled: Remove to fresh air. Call a physician immediately.

In case of skin contact: After contact with skin, wash immediately with plenty of soap and water. If skin reactions occur, contact a physician.

In case of eye contact: In the case of contact with eyes, rinse immediately with plenty of water and

Version 4.0

Revision Date 06/13/2016

seek medical advice.

If swallowed: If swallowed, seek medical advice immediately and show this container or label.

Note to Physician: This product is a cholinesterase inhibitor. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal. 2-PAM is also antidotal and may be administered, but only in conjunction with atropine. Product may cause aspiration pneumonia. Probable mucosal damage may contraindicate the use of gastric lavage.

Contact Number: Use the Bayer Emergency Number in Section 1

5. FIREFIGHTING MEASURES

Suitable extinguishing media: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media: High volume water jet

Specific hazards during firefighting: Fire may cause the release of: Carbon monoxide (CO) Carbon dioxide (CO2)

Special protective equipment for firefighters: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

Further information: Prevent fire extinguishing water from contaminating surface water or the ground water system.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Use personal protective equipment.

Methods for cleaning up: Cover spilled product with liquid-binding material (sand, silica gel, acid binder, universal binder, hybilat). Take up mechanically and fill into labeled, closable containers.

Additional advice: Keep away from/remove sources of ignition.

Further Accidental Release Notes

Keep away from/remove sources of ignition.

7. HANDLING AND STORAGE

Handling:

Avoid formation of aerosol. Only handle product with local exhaust ventilation. Avoid contact with skin, eyes and clothing.

Take measures to prevent the build up of electrostatic charge. Keep away from open flames, hot

Version 4.0

Revision Date 06/13/2016

surfaces and sources of ignition.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Phenol (108-95-2)

US. ACGIH Threshold Limit Values

Time Weighted Average (TWA): 5 ppm

US. ACGIH Threshold Limit Values

Skin designation: Can be absorbed through the skin.

US. NIOSH: Pocket Guide to Chemical Hazards

Recommended exposure limit (REL): 5 ppm, 19 mg/m3

US. NIOSH: Pocket Guide to Chemical Hazards

Ceiling Limit Value and Time Period (if specified): 15.6 ppm, 60 mg/m3 (15-min)

US. NIOSH: Pocket Guide to Chemical Hazards

Skin designation: Can be absorbed through the skin.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Permissible exposure limit: 5 ppm, 19 mg/m3

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Skin designation: Can be absorbed through the skin.

Dichlorvos (62-73-7)

US. ACGIH Threshold Limit Values

Time Weighted Average (TWA): 0.1 mg/m3 (Inhalable fraction and vapor.)

US. ACGIH Threshold Limit Values

Skin designation: (Inhalable fraction and vapor.)Can be absorbed through the skin.

US. NIOSH: Pocket Guide to Chemical Hazards

Recommended exposure limit (REL): 1 mg/m3

US. NIOSH: Pocket Guide to Chemical Hazards

Skin designation: Can be absorbed through the skin.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Permissible exposure limit: 1 mg/m3

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Skin designation: Can be absorbed through the skin.

Respiratory protection:

Recommended Filter type: Organic vapor with prefilter

None required for consumer use of this product.

Hand protection:

Hand protection: protective gloves for chemicals made of

butyl-rubber Neoprene

NCOPICI

PVC

Breakthrough time not tested; dispose of immediately after contamination. Advice: The gloves should not be reused.

Eye protection:

Safety glasses

ASTM D 93

SAFETY DATA SHEET RAVAP® EC

Version 4.0 Revision Date 06/13/2016

None required for consumer use of this product.

Other protective measures:

Wear suitable protective equipment.

Please consult label for end-user requirements.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form: liquid
Colour: clear
Odour: aromatic

Odour Threshold: No applicable information is available

Melting point: > 350 °F

Boiling point/boiling range: No applicable information is available

Density: 1.055 g/cm³

Bulk density: No applicable information is available No applicable information is available Vapour pressure: Viscosity, dynamic: No applicable information is available Viscosity, kinematic: No applicable information is available Flow time: No applicable information is available Surface tension: No applicable information is available Miscibility with water: No applicable information is available Water solubility: No applicable information is available pH: No applicable information is available Relative density: No applicable information is available Partition coefficient: No applicable information is available No applicable information is available Solubility(ies):

Flash point: 154.04 °F (67.8 °C)

Flammability (solid, gas): No applicable information is available Ignition temperature: No applicable information is available Explosion limits: No applicable information is available

10. STABILITY AND REACTIVITY

Conditions to avoid: No data available

Materials to avoid: Oxidizing agents

Hazardous reactions: No data available

Thermal decomposition:

No data available

Version 4.0

Revision Date 06/13/2016

Hazardous decomposition products:

Carbon monoxide (CO), Carbon dioxide (CO2)

Oxidizing properties:

No statements available.

Impact sensitivity:

No data available

11. TOXICOLOGICAL INFORMATION

Acute oral toxicity:

LD50 Rat: 500 mg/kg

Acute inhalation toxicity:

LC50 2.16 mg/l, 4 h

No adverse effect has been observed in acute toxicity tests.

Under the conditions of the test no mortality caused.

Acute dermal toxicity:

LD50 Rabbit: > 2,000 mg/kg

Acute toxicity (other routes of administration):

Phenol

LD0 subcutaneous Rat: 650 mg/kg

LD50 intravenous Mouse: 112 mg/kg

LD0 intravenous Cat: 50 mg/kg

LD0 intravenous Rabbit: 180 mg/kg

LD0 intraperitoneal Rabbit: 620 mg/kg

Skin irritation:

Result: Skin irritation

Eye irritation:

Result: Eye irritation

Sensitisation:

May cause sensitisation of susceptible persons.

Genotoxicity in vitro:

Phenol

Chromosome aberration test in vitro

Result: positve

Pharmaceutic effects:

Phenol Antiseptic

ворио

Version 4.0

Revision Date 06/13/2016

CMR Assessment:

Phenol

Mutagenicity: Suspected of causing genetic defects.

Carcinogenicity:

No Carcinogenic substances as defined by IARC, NTP and/or OSHA

STOT - single exposure:

No data available

STOT - repeated exposure:

Components:

108-95-2:

Assessment: May cause damage to organs through prolonged or repeated exposure.

12. ECOLOGICAL INFORMATION

General advice:

Do not allow to enter surface waters or groundwater.

Toxicity to fish:

Phenol

LC50 8.9 mg/l

Test species: Oncorhynchus mykiss (rainbow trout) Duration of test: 96 h

Tetrachlorvinphos LC50 0.5 mg/l

Test species: Lepomis macrochirus (Bluegill) Duration of test: 96 h

Dichlorvos

LC50 200 µg/l

Test species: Oncorhynchus mykiss (rainbow trout) Duration of test: 96 h

LC50 450 µg/l

Test species: Leuciscus idus (Golden orfe) Duration of test: 96 h

Toxicity to daphnia and other aquatic invertebrates:

Phenol

EC50 9 mg/l

Test species: Daphnia magna (Water flea) Duration of test: 24 h

Tetrachlorvinphos

EC50 0.002 mg/l

Test species: Daphnia magna (Water flea) Duration of test: 48 h

Dichlorvos LC50 19 µg/l

Test species: Daphnia (water flea) Duration of test: 48 h

Version 4.0 Revision Date 06/13/2016

Toxicity to algae:

Phenol

IC50 150 mg/l

tested on: Pseudokirchneriella subcapitata (green algae) Duration of test: 96 h

Method: OECD 201

Toxicity to bacteria:

Phenol

EC50 766 mg/l

tested on: activated sludge micro-organism

Duration of test: 3 h

Biodegradability:

Phenol

85 %, 14 d rapidly biodegradable

Method: OECD 301 C

100 %, 6 d rapidly biodegradable

Method: OECD 302 B

Bioaccumulation:

Phenol

yes, Bioaccumulation is unlikely.

13. DISPOSAL CONSIDERATIONS

Waste disposal should be in accordance with existing federal, state and local environmental control laws.

14. TRANSPORT INFORMATION

Please note that limited quantities, consumer commodity regulations or other exemptions may apply.

Land transport (CFR)

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains DICHLORVOS)

Hazard Class or Division: 9
UN/NA Number: UN
Packaging group III
Hazard Label(s): Class 9

Marine pollutant: Marine pollutant

US Sea transport (IMDG)

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains DICHLORVOS)

Hazard Class or Division: 9
UN number: UN
Packaging group: III

Version 4.0 Revision Date 06/13/2016

Hazard Label(s):MISCELLANEOUSMarine pollutant:Marine pollutant

US Air transport (ICAO / IATA cargo aircraft only)

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains DICHLORVOS)

Hazard Class or Division: 9
UN/ID Number: UN
Packaging group: III

Hazard Label(s): MISCELLANEOUS Marine pollutant: Marine pollutant

US Air transport (ICAO / IATA passenger and cargo aircraft)

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (contains DICHLORVOS)

Hazard Class or Division: 9
UN/ID Number: UN
Packaging group: III

Hazard Label(s): MISCELLANEOUS
Marine pollutant: Marine pollutant

International IATA

UN Number 3082

Description of the goods ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(DICHLORVOS)

Class 9
Packaging group III
Dangerous goods labels 9
Environmentally hazardous yes

International IMDG

UN Number 3082

Description of the goods ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(DICHLORVOS)

Class9Packaging groupIIIIMDG-Labels9EmS NumberF-AMarine pollutantyes

15. REGULATORY INFORMATION

Other regulations: No statements available.

US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 302 Extremely Hazardous Substance (40 CFR 355, Appendix A)

ComponentsDichlorvos
Phenol

Version 4.0

Revision Date 06/13/2016

US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 313 Toxic Chemicals (40 CFR 372.65) - Supplier Notification Required Components

Dichlorvos Phenol

US. EPA CERCLA Hazardous Substances (40 CFR 302)Components

Dichlorvos Reportable quantity: 10 lbs
Phenol Reportable quantity: 1000 lbs

Marine pollutantComponents

Dichlorvos Severe marine pollutant.

Massachusetts, New Jersey or Pennsylvania Right to Know Substance Lists

 Weight percent
 Components
 CAS-No.

 3 - 7%
 Dichlorvos
 62-73-7

 10 - 30%
 Phenol
 108-95-2

New Jersey Environmental Hazardous Substances List and/or New Jersey RTK Special Hazardous Substances Lists

 Weight percent
 Components
 CAS-No.

 3 - 7%
 Dichlorvos
 62-73-7

 10 - 30%
 Phenol
 108-95-2

California Prop. 65

Weight percentComponentsCAS-No.15 - 40%Tetrachlorvinphos22248-79-9

OSHA Hazcom Standard Rating Hazardous

16. OTHER INFORMATION

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and

Version 4.0

Revision Date 06/13/2016

may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.