

SAFETY DATA SHEETS

This SDS packet was issued with item:

078915460

N/A

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/12/2017

Version 3

Reviewed on 05/12/2017

1 Identification

Product identifier

Trade name: EZ –Paque (Cimbar API Formula)**Article number:** 747(INT), 750, 750(CAN), 750(INT), 7772

Application of the substance / the mixture:

Radiopaque contrast media for diagnostic imaging of the gastrointestinal tract

White bulky powder with a characteristic odor and no grittiness:

- Cat. No. 750 (176g bottle): When diluted as per marking on bottle: 70% - 114% w/v
- Cat. No. 7772 (1200g Jug): When diluted as per table on unit label: 54% - 102% w/v
- Cat. No. 747 : (10Kg pail): When diluted as per table on unit label: 16% - 115% w/v

Route of Administration: Oral and Rectal

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

E-Z-EM Canada Inc.
11065 boulevard L-H. Lafontaine
Montréal, QC, Canada
H1J 2Z4
tel: (514) 353-5820

Information department:

B-Lands Consulting
WTC, 5 Place Robert Schuman, BP 1516
38025 Grenoble, FRANCE
Tel: +33 476 295 869
Fax: +33 476 295 870
Email: clients@reachteam.eu
www.reachteam.eu

Emergency telephone number:

EMERGENCY CONTACT:
Health: 1-800-257-5181
U.S. Transport - Chemtrec: 1-800-424-9300
International Transport - Chemtrec: 1-703-527-3887

2 Hazard(s) identification

Classification of the substance or mixture

The product is not classified according to the Globally Harmonized System (GHS).

Label elements

GHS label elements Not applicable.**Hazard pictograms** Not applicable.**Signal word** Not applicable.**Hazard statements** Not applicable.

Additional Information:


WHMIS-symbols:

Not Hazardous.

Not controlled under WHIMS (Canada).

Classification system:

NFPA ratings (scale 0 - 4)



Health = 0
Fire = 0
Reactivity = 0

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/12/2017

Version 3

Reviewed on 05/12/2017

Trade name: EZ –Paque (Cimbar API Formula)**HMIS-ratings (scale 0 - 4)**

HEALTH	0	Health = 0
FIRE	0	Fire = 0
REACTIVITY	0	Reactivity = 0

3 Composition/information on ingredients

Chemical characterization: Mixtures**Description:** Mixture: consisting of the following components.**Hazardous Components:**

7727-43-7	Barium sulphate	96.305% w/w
-----------	-----------------	-------------

Information on components:

7727-43-7	Barium sulphate	96.305% w/w
-----------	-----------------	-------------

4 First-aid measures

Description of first aid measures**General information:** No special measures required.**After inhalation:** Supply fresh air; consult doctor in case of complaints.**After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Seek medical treatment.

Most important symptoms and effects, both acute and delayed

No further relevant information available.

Danger

Inhalation: If dusts are formed, inhalation may cause adverse lung effects.

Eyes: Inert particles may cause mechanical irritation of the eyes, including scratches. Symptoms may include stinging and tearing.

Ingestion: Ingestion of large amounts may cause stomach irritation.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

Extinguishing media**Suitable extinguishing agents:**

Use extinguishing measures appropriate to local circumstances and the environment.

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.**Special hazards arising from the substance or mixture**

Not flammable under normal conditions of use. Fine dust dispersed in air may ignite.

Explosion data: Sensitivity to mechanical impact / static discharge: Not expected to be sensitive to mechanical impact or static discharge.

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/12/2017

Version 3

Reviewed on 05/12/2017

Trade name: EZ –Paque (Cimbar API Formula)

Advice for firefighters

Protective equipment:

Firefighters should wear adequate personal protective equipment with protection of respiratory tract (self-contained breathing apparatus) (SCBA).

In addition, firefighters should wear flame and chemicals resistant clothing, boots and gloves.

Additional information

Move containers from fire area if safe to do so. Cool closed containers exposed to fire with water spray. Do not allow run off from fire fighting to enter drains or water courses. Dike for water control.

Evacuate personnel to an upwind direction. Remove unneeded material.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Remove persons from danger area.

Avoid formation of dust.

Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Methods and material for containment and cleaning up:

Dispose of the collected material according to regulations.

Eliminate all ignition sources.

Pick up mechanically.

Clean the affected area carefully.

Suitable cleaner is: water.

Send for recovery or disposal in suitable receptacles.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Precautions for safe handling

Do not inhale dust / smoke / mist.

Provide suction extractors if dust is formed.

Ensure good ventilation/exhaustion at the workplace.

Avoid contact with the eyes and skin.

Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Avoid accumulation of static charges, by means of adequate grounded electrical connection.

Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles:

Store in a cool, dry place in tightly closed receptacles.

Information about storage in one common storage facility: Not required.

Further information about storage conditions:

Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel.

Protect against physical damage.

Specific end use(s) No further relevant information available.

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/12/2017

Version 3

Reviewed on 05/12/2017

Trade name: EZ –Paque (Cimbar API Formula)

8 Exposure controls/personal protection

Control parameters

Components with limit values that require monitoring at the workplace:

7727-43-7 Barium sulphate

CAD AB OEL (Canada)	Long-term value: 10 mg/m ³
CAD BC OEL (Canada)	Long-term value: 3* ; 10** mg/m ³ *: Respirable Fraction; **: Total Dust
CAD MB OEL (Canada)	Long-term value: 10 mg/m ³
CAD ON OEL (Canada)	Long-term value: 10 mg/m ³
OEL (QUE) (Canada)	Long-term value: 5* ; 10** mg/m ³ *: Respirable Fraction; **: Total Dust
ACGIH (USA)	Long-term value: 10 mg/m ³
ACGIH 2014 TLV (USA)	Long-term value: 5 mg/m ³ Total Dust, no asbestos and <1% crystalline silica
CAL/OSHA PEL (USA)	Long-term value: 5* ; 10** mg/m ³ *:Respirable Fraction; **:Total Dust
NIOSH/GUIDE - REL (USA)	Long-term value: 5* ; 10** mg/m ³ *: Respirable Fraction; **: Total Dust
OSHA PEL ₁ (USA)	Long-term value: 5* ; 15** mg/m ³ *: Respirable Fraction; **:Total Dust

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls

Personal protective equipment

General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Wash hands before breaks and at the end of work.

Immediately remove all soiled and contaminated clothing.

Keep away from foodstuffs, beverages and feed.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Filter P2

Protection of hands:



Protective gloves

The glove material must be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/12/2017

Version 3

Reviewed on 05/12/2017

Trade name: EZ –Paque (Cimbar API Formula)**Eye protection:** Goggles recommended during refilling.**Body protection:** Protective work clothing

9 Physical and chemical properties

Information on basic physical and chemical properties

General Information

Appearance:**Form:** Powder**Color:** White**Odor:** Characteristic**Odor threshold:** Not determined.**pH-value:** Not applicable.**Melting point/Melting range:** Not determined.**Boiling point/Boiling range:** Not determined.**Flash point:** Not applicable.**Flammability (solid, gaseous):** Not determined.**Ignition temperature:** Not determined.**Decomposition temperature:** Not determined.**Danger of explosion:** Product does not present an explosion hazard.**Explosion limits:****Lower:** Not determined.**Upper:** Not determined.**Oxidizing properties** Not determined.**Vapor pressure:** Not determined.**Density at 20 °C:** 4.2 - 4.5 g/cm³**Bulk density at 20 °C:** 700 kg/m³**Relative density** Not determined.**Vapor density** Not applicable.**Evaporation rate** Not applicable.**Solubility in / Miscibility with****Water:** Insoluble.**Partition coefficient (n-octanol/water):** Not determined.**Viscosity:****Dynamic:** Not applicable.**Kinematic:** Not applicable.**Solids content:** 80.0 %**Other information**

No further relevant information available.

10 Stability and reactivity

Reactivity No further relevant information available.**Chemical stability****Thermal decomposition / conditions to be avoided:**

No decomposition if used according to specifications.

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/12/2017

Version 3

Reviewed on 05/12/2017

Trade name: EZ –Paque (Cimbar API Formula)

Possibility of hazardous reactions No dangerous reactions known.

Conditions to avoid Avoid all sources of ignition: heat, sparks, open flames.

Incompatible materials: Reactive metals

Hazardous decomposition products:

Sulfur oxides (SO_x)

Barium Oxide (BaO)

Other unidentified organic compounds.

11 Toxicological information

Information on toxicological effects

Acute toxicity:

LD/LC50 values that are relevant for classification:

7727-43-7 Barium sulphate

Oral	LD50	> 20000 mg/kg (Rat) (External SDS)
------	------	------------------------------------

50-70-4 D-glucitol

Oral	LD50	15900 mg/kg (Rat)
------	------	-------------------

6132-04-3 Trisodium citrate dihydrate

Oral	LD50	> 8000 mg/kg (Rat) (IUCLID - Anhydrous substance)
	LD50 iv	170 mg/kg (Mouse) 449 mg/kg (Rabbit)
	LD50 ip	1364 mg/Kg (Mouse) 1548 mg/Kg (Rat)

9000-65-1 Gum tragacanth

Oral	LD50	10200 mg/kg (Rat) (RTEC)
	LD50	7200 mg/Kg bw (Rabbit)

63148-62-9 Polydimethylsiloxane

Oral	LD50	> 15400 mg/kg (Rat)
Dermal	LD50	> 2000 mg/kg (Rabbit)

11138-66-2 Xanthan gum

Oral	LD50	> 5000 mg/kg (Rat)
------	------	--------------------

9005-65-6 Polysorbate 80

Oral	LD50	42200 mg/kg (Rat) (External SDS)
------	------	----------------------------------

6155-57-3 Saccharin Sodium dihydrate

Oral	LD50	> 14200 mg/kg (Rat) (anhydrous substance - RTEC)
------	------	--

57-55-6 propane-1,2-diol

Oral	LD50	19400 - 36000 mg/kg (Rat) (Literature)
Dermal	LD50	20800 mg/kg (Rabbit) (Literature)

77-92-9 Citric Acid, Anhydrous

Oral	LD50	5040 mg/kg (Mouse)
		3000 mg/kg (Rat) (RTEC)

Primary irritant effect:

on the skin: No irritant effect.

on the eye: No irritating effect.

Sensitization: No sensitizing effects known.

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/12/2017

Version 3

Reviewed on 05/12/2017

Trade name: EZ –Paque (Cimbar API Formula)

Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations.

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

Carcinogenic categories

IARC (International Agency for Research on Cancer)		
6155-57-3	Saccharin Sodium dihydrate	Yes: Carc. 3
9000-07-1	Carrageenan	3
NTP (National Toxicology Program)		
6155-57-3	Saccharin Sodium dihydrate	YES

12 Ecological information

Toxicity

Aquatic toxicity:	
7727-43-7 Barium sulphate	
EC50/48h	32 mg/L (Daphnia Magna)
6132-04-3 Trisodium citrate dihydrate	
LC50/96h	> 18000 - 32000 mg/L (Poecilia Reticulata) (IUCLID - Anhydrous substance)
IC50/96h	> 18000 - 32000 mg/L (Chlorella Vulgaris) (IUCLID - Anhydrous substance)
EC50/8h	> 1800 - 3200 mg/L (Pseudomonas Fluorescens) (IUCLID - Anhydrous substance)
EC50/48h	5600 - 10000 mg/L (Daphnia Magna) (IUCLID - Anhydrous substance)
63148-62-9 Polydimethylsiloxane	
EC50/48h	> 200 mg/L (Daphnia)
11138-66-2 Xanthan gum	
LC50/96h	490 mg/L (Rainbow Trout)
LC50/48h	980 mg/L (Daphnia Magna)
LC50/96h	> 50000 ppm (Mysid Shrimp) (Suspended Particulate (2 lb./bbl of Xanthan Gum))
9005-65-6 Polysorbate 80	
LC50/96h	471 mg/L (Onchorhyncus Mykiss) (External SDS)
EC0	> 10000 mg/L (Pseudomonas Putida) (External SDS)
57-55-6 propane-1,2-diol	
LC50/96h	51600 mg/L (Onchorhyncus Mykiss) (External SDS)
IC50/96h	19000 mg/L (Pseudokirchneriella Subcapitata) (External SDS)
EC50/3h	> 1000 mg/L (Activated Sludge) (Literature)
EC50/48h	34400 mg/L (Daphnia Magna) (Literature)
77-92-9 Citric Acid, Anhydrous	
LC50/96h	440 - 760 mg/L (Leuciscus Idus) (IUCLID)
LC50	440-706 mg/L (Fish)
IC5/7d	640 mg/L (Scenedesmus Quadricauda) (Literature)(Max. Permissible Toxic Concentration)
EC5/72h	485 mg/L (Echinodontium Sulcatum) (Literature)
IC5/8d	80 mg/L (Microcystis Aeruginosa) (Literature)(Max. Permissible Toxic Concentration)
EC5/16h	> 10000 mg/L (Pseudomonas Putida) (Literature)(Max. Permissible Toxic Concentration)
EC50/72h	ca. 120 mg/L (Daphnia Magna) (IUCLID)

Persistence and degradability No further relevant information available.

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/12/2017

Version 3

Reviewed on 05/12/2017

Trade name: EZ –Paque (Cimbar API Formula)

Additional ecological information

Use according to the good working practice. Avoid transfer into the environment.

General notes: Generally not hazardous for water

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations

Recommendation: Reutilise if possible or contact a waste processors for recycling or safe disposal

Waste disposal key:

If this product, as supplied, becomes a waste in the United States, it may meet the criteria of a hazardous waste as defined under RCRA, Title 40 CFR 261. It is the responsibility of the waste generator to determine the proper waste identification and disposal method. For disposal of unused or waste material, check with local, state and federal environmental agencies.

Uncleaned packagings:

Recommendation:

Disposal must be made according to official regulations.

Packagings that cannot be cleansed are to be disposed of in the same manner as the product.

14 Transport information

UN-Number

DOT

Void

1. Domestic

DOT shipping classification: Radioactive material- see US regulations regarding shipment of radioactive materials.

2. International

DOT shipping classification: Radioactive material- see US and other nations' regulations on shipment of radioactive materials.

TDG, ADN, IMDG, IATA

Void

UN proper shipping name

DOT, TDG, ADN, IMDG, IATA

Void

Transport hazard class(es)

DOT, TDG, ADN, IMDG, IATA

Class

Void

Packing group

DOT, TDG, IMDG, IATA

Void

Environmental hazards:

Marine pollutant:

No

Special precautions for user

Not applicable.

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/12/2017

Version 3

Reviewed on 05/12/2017

Trade name: EZ –Paque (Cimbar API Formula)

**Transport in bulk according to Annex II of
MARPOL73/78 and the IBC Code**

Not applicable.

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Sara

Section 355 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

Canadian Ingredient Disclosure list (limit 0.1%)

9000-65-1 | Gum tragacanth

Canadian Ingredient Disclosure list (limit 1%)

None of the ingredients is listed.

GHS label elements Not applicable.

Hazard pictograms Not applicable.

Signal word Not applicable.

Hazard statements Not applicable.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Date of preparation / last revision 05/12/2017 / 2

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/12/2017

Version 3

Reviewed on 05/12/2017

1 Identification

Product identifier

Trade name: EZ –Paque (Cimbar API Formula)

Article number: 747(INT), 750, 750(CAN), 750(INT), 7772

Application of the substance / the mixture:

Radiopaque contrast media for diagnostic imaging of the gastrointestinal tract

White bulky powder with a characteristic odor and no grittiness:

- Cat. No. 750 (176g bottle): When diluted as per marking on bottle: 70% - 114% w/v

- Cat. No. 7772 (1200g Jug): When diluted as per table on unit label: 54% - 102% w/v

- Cat. No. 747 : (10Kg pail): When diluted as per table on unit label: 16% - 115% w/v

Route of Administration: Oral and Rectal

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

E-Z-EM Canada Inc.
11065 boulevard L-H. Lafontaine
Montréal, QC, Canada
H1J 2Z4
tel: (514) 353-5820

Information department:

B-Lands Consulting
WTC, 5 Place Robert Schuman, BP 1516
38025 Grenoble, FRANCE
Tel: +33 476 295 869
Fax: +33 476 295 870
Email: clients@reachteam.eu
www.reachteam.eu

Emergency telephone number:

EMERGENCY CONTACT:
Health: 1-800-257-5181
U.S. Transport - Chemtrec: 1-800-424-9300
International Transport - Chemtrec: 1-703-527-3887

2 Hazard(s) identification

Classification of the substance or mixture

The product is not classified according to the Globally Harmonized System (GHS).

Label elements

GHS label elements Not applicable.

Hazard pictograms Not applicable.

Signal word Not applicable.

Hazard statements Not applicable.

Additional Information:

WHMIS-symbols:

Not Hazardous.

Not controlled under WHIMS (Canada).

Classification system:

NFPA ratings (scale 0 - 4)



Health = 0

Fire = 0

Reactivity = 0

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/12/2017

Version 3

Reviewed on 05/12/2017

Trade name: EZ –Paque (Cimbar API Formula)**HMIS-ratings (scale 0 - 4)**

HEALTH	0	Health = 0
FIRE	0	Fire = 0
REACTIVITY	0	Reactivity = 0

3 Composition/information on ingredients**Chemical characterization: Mixtures****Description:** Mixture: consisting of the following components.**Hazardous Components:**

7727-43-7	Barium sulphate	96.305% w/w
-----------	-----------------	-------------

Information on components:

7727-43-7	Barium sulphate	96.305% w/w
-----------	-----------------	-------------

4 First-aid measures**Description of first aid measures****General information:** No special measures required.**After inhalation:** Supply fresh air; consult doctor in case of complaints.**After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Seek medical treatment.

Most important symptoms and effects, both acute and delayed

No further relevant information available.

Danger

Inhalation: If dusts are formed, inhalation may cause adverse lung effects.

Eyes: Inert particles may cause mechanical irritation of the eyes, including scratches. Symptoms may include stinging and tearing.

Ingestion: Ingestion of large amounts may cause stomach irritation.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures**Extinguishing media****Suitable extinguishing agents:**

Use extinguishing measures appropriate to local circumstances and the environment.

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.**Special hazards arising from the substance or mixture**

Not flammable under normal conditions of use. Fine dust dispersed in air may ignite.

Explosion data: Sensitivity to mechanical impact / static discharge: Not expected to be sensitive to mechanical impact or static discharge.

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/12/2017

Version 3

Reviewed on 05/12/2017

Trade name: EZ –Paque (Cimbar API Formula)

Advice for firefighters

Protective equipment:

Firefighters should wear adequate personal protective equipment with protection of respiratory tract (self-contained breathing apparatus) (SCBA).

In addition, firefighters should wear flame and chemicals resistant clothing, boots and gloves.

Additional information

Move containers from fire area if safe to do so. Cool closed containers exposed to fire with water spray. Do not allow run off from fire fighting to enter drains or water courses. Dike for water control.

Evacuate personnel to an upwind direction. Remove unneeded material.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Remove persons from danger area.

Avoid formation of dust.

Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Methods and material for containment and cleaning up:

Dispose of the collected material according to regulations.

Eliminate all ignition sources.

Pick up mechanically.

Clean the affected area carefully.

Suitable cleaner is: water.

Send for recovery or disposal in suitable receptacles.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Precautions for safe handling

Do not inhale dust / smoke / mist.

Provide suction extractors if dust is formed.

Ensure good ventilation/exhaustion at the workplace.

Avoid contact with the eyes and skin.

Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Avoid accumulation of static charges, by means of adequate grounded electrical connection.

Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles:

Store in a cool, dry place in tightly closed receptacles.

Information about storage in one common storage facility: Not required.

Further information about storage conditions:

Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel.

Protect against physical damage.

Specific end use(s) No further relevant information available.

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/12/2017

Version 3

Reviewed on 05/12/2017

Trade name: EZ –Paque (Cimbar API Formula)

8 Exposure controls/personal protection

Control parameters

Components with limit values that require monitoring at the workplace:

7727-43-7 Barium sulphate

CAD AB OEL (Canada)	Long-term value: 10 mg/m ³
CAD BC OEL (Canada)	Long-term value: 3* ; 10** mg/m ³ *: Respirable Fraction; **: Total Dust
CAD MB OEL (Canada)	Long-term value: 10 mg/m ³
CAD ON OEL (Canada)	Long-term value: 10 mg/m ³
OEL (QUE) (Canada)	Long-term value: 5* ; 10** mg/m ³ *: Respirable Fraction; **: Total Dust
ACGIH (USA)	Long-term value: 10 mg/m ³
ACGIH 2014 TLV (USA)	Long-term value: 5 mg/m ³ Total Dust, no asbestos and <1% crystalline silica
CAL/OSHA PEL (USA)	Long-term value: 5* ; 10** mg/m ³ *:Respirable Fraction; **:Total Dust
NIOSH/GUIDE - REL (USA)	Long-term value: 5* ; 10** mg/m ³ *: Respirable Fraction; **: Total Dust
OSHA PEL ₁ (USA)	Long-term value: 5* ; 15** mg/m ³ *: Respirable Fraction; **:Total Dust

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls

Personal protective equipment

General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Wash hands before breaks and at the end of work.

Immediately remove all soiled and contaminated clothing.

Keep away from foodstuffs, beverages and feed.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Filter P2

Protection of hands:



Protective gloves

The glove material must be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/12/2017

Version 3

Reviewed on 05/12/2017

Trade name: EZ –Paque (Cimbar API Formula)**Eye protection:** Goggles recommended during refilling.**Body protection:** Protective work clothing**9 Physical and chemical properties****Information on basic physical and chemical properties****General Information****Appearance:****Form:** Powder**Color:** White**Odor:** Characteristic**Odor threshold:** Not determined.**pH-value:** Not applicable.**Melting point/Melting range:** Not determined.**Boiling point/Boiling range:** Not determined.**Flash point:** Not applicable.**Flammability (solid, gaseous):** Not determined.**Ignition temperature:** Not determined.**Decomposition temperature:** Not determined.**Danger of explosion:** Product does not present an explosion hazard.**Explosion limits:****Lower:** Not determined.**Upper:** Not determined.**Oxidizing properties** Not determined.**Vapor pressure:** Not determined.**Density at 20 °C:** 4.2 - 4.5 g/cm³**Bulk density at 20 °C:** 700 kg/m³**Relative density** Not determined.**Vapor density** Not applicable.**Evaporation rate** Not applicable.**Solubility in / Miscibility with****Water:** Insoluble.**Partition coefficient (n-octanol/water):** Not determined.**Viscosity:****Dynamic:** Not applicable.**Kinematic:** Not applicable.**Solids content:** 80.0 %**Other information**

No further relevant information available.

10 Stability and reactivity**Reactivity** No further relevant information available.**Chemical stability****Thermal decomposition / conditions to be avoided:**

No decomposition if used according to specifications.

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/12/2017

Version 3

Reviewed on 05/12/2017

Trade name: EZ –Paque (Cimbar API Formula)

Possibility of hazardous reactions No dangerous reactions known.

Conditions to avoid Avoid all sources of ignition: heat, sparks, open flames.

Incompatible materials: Reactive metals

Hazardous decomposition products:

Sulfur oxides (SO_x)

Barium Oxide (BaO)

Other unidentified organic compounds.

11 Toxicological information

Information on toxicological effects

Acute toxicity:

LD/LC50 values that are relevant for classification:

7727-43-7 Barium sulphate

Oral	LD50	> 20000 mg/kg (Rat) (External SDS)
------	------	------------------------------------

50-70-4 D-glucitol

Oral	LD50	15900 mg/kg (Rat)
------	------	-------------------

6132-04-3 Trisodium citrate dihydrate

Oral	LD50	> 8000 mg/kg (Rat) (IUCLID - Anhydrous substance)
	LD50 iv	170 mg/kg (Mouse) 449 mg/kg (Rabbit)
	LD50 ip	1364 mg/Kg (Mouse) 1548 mg/Kg (Rat)

9000-65-1 Gum tragacanth

Oral	LD50	10200 mg/kg (Rat) (RTEC)
	LD50	7200 mg/Kg bw (Rabbit)

63148-62-9 Polydimethylsiloxane

Oral	LD50	> 15400 mg/kg (Rat)
Dermal	LD50	> 2000 mg/kg (Rabbit)

11138-66-2 Xanthan gum

Oral	LD50	> 5000 mg/kg (Rat)
------	------	--------------------

9005-65-6 Polysorbate 80

Oral	LD50	42200 mg/kg (Rat) (External SDS)
------	------	----------------------------------

6155-57-3 Saccharin Sodium dihydrate

Oral	LD50	> 14200 mg/kg (Rat) (anhydrous substance - RTEC)
------	------	--

57-55-6 propane-1,2-diol

Oral	LD50	19400 - 36000 mg/kg (Rat) (Literature)
Dermal	LD50	20800 mg/kg (Rabbit) (Literature)

77-92-9 Citric Acid, Anhydrous

Oral	LD50	5040 mg/kg (Mouse)
		3000 mg/kg (Rat) (RTEC)

Primary irritant effect:

on the skin: No irritant effect.

on the eye: No irritating effect.

Sensitization: No sensitizing effects known.

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/12/2017

Version 3

Reviewed on 05/12/2017

Trade name: EZ –Paque (Cimbar API Formula)

Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations.

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

Carcinogenic categories

IARC (International Agency for Research on Cancer)		
6155-57-3	Saccharin Sodium dihydrate	Yes: Carc. 3
9000-07-1	Carrageenan	3
NTP (National Toxicology Program)		
6155-57-3	Saccharin Sodium dihydrate	YES

12 Ecological information

Toxicity

Aquatic toxicity:	
7727-43-7 Barium sulphate	
EC50/48h	32 mg/L (Daphnia Magna)
6132-04-3 Trisodium citrate dihydrate	
LC50/96h	> 18000 - 32000 mg/L (Poecilia Reticulata) (IUCLID - Anhydrous substance)
IC50/96h	> 18000 - 32000 mg/L (Chlorella Vulgaris) (IUCLID - Anhydrous substance)
EC50/8h	> 1800 - 3200 mg/L (Pseudomonas Fluorescens) (IUCLID - Anhydrous substance)
EC50/48h	5600 - 10000 mg/L (Daphnia Magna) (IUCLID - Anhydrous substance)
63148-62-9 Polydimethylsiloxane	
EC50/48h	> 200 mg/L (Daphnia)
11138-66-2 Xanthan gum	
LC50/96h	490 mg/L (Rainbow Trout)
LC50/48h	980 mg/L (Daphnia Magna)
LC50/96h	> 50000 ppm (Mysid Shrimp) (Suspended Particulate (2 lb./bbl of Xanthan Gum))
9005-65-6 Polysorbate 80	
LC50/96h	471 mg/L (Onchorhyncus Mykiss) (External SDS)
EC0	> 10000 mg/L (Pseudomonas Putida) (External SDS)
57-55-6 propane-1,2-diol	
LC50/96h	51600 mg/L (Onchorhyncus Mykiss) (External SDS)
IC50/96h	19000 mg/L (Pseudokirchneriella Subcapitata) (External SDS)
EC50/3h	> 1000 mg/L (Activated Sludge) (Literature)
EC50/48h	34400 mg/L (Daphnia Magna) (Literature)
77-92-9 Citric Acid, Anhydrous	
LC50/96h	440 - 760 mg/L (Leuciscus Idus) (IUCLID)
LC50	440-706 mg/L (Fish)
IC5/7d	640 mg/L (Scenedesmus Quadricauda) (Literature)(Max. Permissible Toxic Concentration)
EC5/72h	485 mg/L (Echinodontium Sulcatum) (Literature)
IC5/8d	80 mg/L (Microcystis Aeruginosa) (Literature)(Max. Permissible Toxic Concentration)
EC5/16h	> 10000 mg/L (Pseudomonas Putida) (Literature)(Max. Permissible Toxic Concentration)
EC50/72h	ca. 120 mg/L (Daphnia Magna) (IUCLID)

Persistence and degradability No further relevant information available.

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/12/2017

Version 3

Reviewed on 05/12/2017

Trade name: EZ –Paque (Cimbar API Formula)

Additional ecological information

Use according to the good working practice. Avoid transfer into the environment.

General notes: Generally not hazardous for water

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations

Recommendation: Reutilise if possible or contact a waste processors for recycling or safe disposal

Waste disposal key:

If this product, as supplied, becomes a waste in the United States, it may meet the criteria of a hazardous waste as defined under RCRA, Title 40 CFR 261. It is the responsibility of the waste generator to determine the proper waste identification and disposal method. For disposal of unused or waste material, check with local, state and federal environmental agencies.

Uncleaned packagings:

Recommendation:

Disposal must be made according to official regulations.

Packagings that cannot be cleansed are to be disposed of in the same manner as the product.

14 Transport information

UN-Number

DOT

Void

1. Domestic

DOT shipping classification: Radioactive material- see US regulations regarding shipment of radioactive materials.

2. International

DOT shipping classification: Radioactive material- see US and other nations' regulations on shipment of radioactive materials.

TDG, ADN, IMDG, IATA

Void

UN proper shipping name

DOT, TDG, ADN, IMDG, IATA

Void

Transport hazard class(es)

DOT, TDG, ADN, IMDG, IATA

Class

Void

Packing group

DOT, TDG, IMDG, IATA

Void

Environmental hazards:

Marine pollutant:

No

Special precautions for user

Not applicable.

Safety Data Sheet

acc. to OSHA HCS

Printing date 05/12/2017

Version 3

Reviewed on 05/12/2017

Trade name: EZ –Paque (Cimbar API Formula)**Transport in bulk according to Annex II of
MARPOL73/78 and the IBC Code**

Not applicable.

15 Regulatory information**Safety, health and environmental regulations/legislation specific for the substance or mixture**

Sara

Section 355 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

Canadian Ingredient Disclosure list (limit 0.1%)

9000-65-1 | Gum tragacanth

Canadian Ingredient Disclosure list (limit 1%)

None of the ingredients is listed.

GHS label elements Not applicable.**Hazard pictograms** Not applicable.**Signal word** Not applicable.**Hazard statements** Not applicable.**16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Date of preparation / last revision 05/12/2017 / 2**Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent