

## **SAFETY DATA SHEETS**

**This SDS packet was issued with item:**

078074260

**The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).**

078071138

## Flunixin Paste Formulation

Version 3.2      Revision Date: 04/12/2018      SDS Number: 656915-00007      Date of last issue: 10/11/2017  
Date of first issue: 05/02/2016

---

### SECTION 1. IDENTIFICATION

Product name : Flunixin Paste Formulation

#### Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc

Address : 2000 Galloping Hill Road  
Kenilworth - New Jersey - U.S.A. 07033

Telephone : 908-740-4000

Telefax : 908-735-1496

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@merck.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS classification in accordance with 29 CFR 1910.1200

Acute toxicity (Oral) : Category 4

Serious eye damage : Category 1

Specific target organ systemic toxicity - repeated exposure : Category 1 (Gastrointestinal tract, Kidney, Blood)

#### GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H302 Harmful if swallowed.  
H318 Causes serious eye damage.  
H372 Causes damage to organs (Gastrointestinal tract, Kidney, Blood) through prolonged or repeated exposure.

Precautionary Statements : **Prevention:**  
P260 Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P280 Wear eye protection/ face protection.

---

## Flunixin Paste Formulation

Version            Revision Date:            SDS Number:            Date of last issue: 10/11/2017  
3.2                    04/12/2018                656915-00007            Date of first issue: 05/02/2016

### Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

P314 Get medical advice/ attention if you feel unwell.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture            :    Mixture

### Hazardous ingredients

Chemical name	CAS-No.	Concentration (% w/w)
Starch, oxidized	65996-62-5	>= 20 - < 30
Propylene glycol	57-55-6	>= 10 - < 20
1-Deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate	42461-84-7	>= 5 - < 10

## SECTION 4. FIRST AID MEASURES

- General advice                    :    In the case of accident or if you feel unwell, seek medical advice immediately., When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled                            :    If inhaled, remove to fresh air.  
Get medical attention if symptoms occur.
- In case of skin contact            :    In case of contact, immediately flush skin with soap and plenty of water.  
Get medical attention if symptoms occur.
- In case of eye contact            :    In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention immediately.
- If swallowed                        :    If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel.  
Get medical attention.  
Rinse mouth thoroughly with water.  
Never give anything by mouth to an unconscious person.

**Flunixin Paste Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 10/11/2017
3.2	04/12/2018	656915-00007	Date of first issue: 05/02/2016

---

- Most important symptoms and effects, both acute and delayed : Harmful if swallowed.  
Causes serious eye damage.  
Causes damage to organs through prolonged or repeated exposure.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists.
- Notes to physician : Treat symptomatically and supportively.
- 

**SECTION 5. FIRE-FIGHTING MEASURES**

- Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical
- Unsuitable extinguishing media : None known.
- Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides  
Fluorine compounds  
Nitrogen oxides (NO<sub>x</sub>)
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.
- Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.
- 

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice and personal protective equipment recommendations.
- Environmental precautions : Discharge into the environment must be avoided.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items
-

## Flunixin Paste Formulation

Version 3.2      Revision Date: 04/12/2018      SDS Number: 656915-00007      Date of last issue: 10/11/2017  
 Date of first issue: 05/02/2016

employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### SECTION 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not swallow.  
 Do not get in eyes.  
 Avoid prolonged or repeated contact with skin.  
 Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
 Keep container tightly closed.  
 Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labeled containers.  
 Keep tightly closed.  
 Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
 Strong oxidizing agents  
 Organic peroxides  
 Explosives  
 Gases

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Propylene glycol	57-55-6	TWA	10 mg/m <sup>3</sup>	US WEEL
1-Deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate	42461-84-7	TWA	40 µg/m <sup>3</sup> (OEB 3)	Internal
		Wipe limit	400 µg/100 cm <sup>2</sup>	Internal

- Engineering measures** : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).

## Flunixin Paste Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10/11/2017
3.2	04/12/2018	656915-00007	Date of first issue: 05/02/2016

---

Minimize open handling.

### Personal protective equipment

- Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.
- Hand protection
- Material : Chemical-resistant gloves
- Remarks : Consider double gloving.
- Eye protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
- Skin and body protection : Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
- Hygiene measures : Ensure that eye flushing systems and safety showers are located close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

---

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance : paste
- Color : white to off-white



## Flunixin Paste Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10/11/2017
3.2	04/12/2018	656915-00007	Date of first issue: 05/02/2016

---

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Harmful if swallowed.

#### Product:

Acute oral toxicity	:	Acute toxicity estimate: 638.55 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Remarks: Inhalation is not regarded as possible exposure path.

#### Components:

##### Propylene glycol:

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rabbit): > 159 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity

##### **1-Deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:**

Acute oral toxicity	:	LD50 (Rat): 53 - 157 mg/kg  LD50 (Mouse): 176 - 249 mg/kg  LD50 (Guinea pig): 488.3 mg/kg  LD50 (Monkey): 300 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): < 0.52 mg/l

**Flunixin Paste Formulation**

Version 3.2      Revision Date: 04/12/2018      SDS Number: 656915-00007      Date of last issue: 10/11/2017  
Date of first issue: 05/02/2016

---

Exposure time: 4 h  
Test atmosphere: dust/mist

Acute toxicity (other routes of administration) : LD50 (Rat): 59.4 - 185.3 mg/kg  
Application Route: Intraperitoneal

LD50 (Mouse): 164 - 363 mg/kg  
Application Route: Intraperitoneal

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Propylene glycol:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

**1-Deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:**

Species : Rabbit  
Result : Mild skin irritation

**Serious eye damage/eye irritation**

Causes serious eye damage.

**Components:****Propylene glycol:**

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405

**1-Deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:**

Species : Rabbit  
Result : Irreversible effects on the eye

**Respiratory or skin sensitization****Skin sensitization**

Not classified based on available information.

**Respiratory sensitization**

Not classified based on available information.

**Components:****Propylene glycol:**

Test Type : Maximization Test  
Routes of exposure : Skin contact  
Species : Guinea pig  
Result : negative

## Flunixin Paste Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10/11/2017
3.2	04/12/2018	656915-00007	Date of first issue: 05/02/2016

---

### 1-Deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Test Type	: Maximization Test
Routes of exposure	: Dermal
Species	: Guinea pig
Assessment	: Does not cause skin sensitization.
Result	: negative

### Germ cell mutagenicity

Not classified based on available information.

### Components:

#### Propylene glycol:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Result: negative

### 1-Deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	Test Type: in vitro test Test system: mouse lymphoma cells Result: positive
	Test Type: Chromosomal aberration Test system: Chinese hamster ovary cells Result: positive
	Test Type: in vitro test Test system: Escherichia coli Result: positive
Genotoxicity in vivo	: Test Type: Micronucleus test Species: Mouse Application Route: Oral Result: negative
Germ cell mutagenicity - Assessment	: Weight of evidence does not support classification as a germ cell mutagen.

### Carcinogenicity

Not classified based on available information.

### Components:

#### Propylene glycol:

Species	: Rat
---------	-------

## Flunixin Paste Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10/11/2017
3.2	04/12/2018	656915-00007	Date of first issue: 05/02/2016

---

Application Route : Ingestion  
 Exposure time : 2 Years  
 Result : negative

### 1-Deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Species : Rat  
 Application Route : oral (feed)  
 Exposure time : 104 w  
 LOAEL : 2 mg/kg body weight  
 Result : negative  
 Target Organs : Gastrointestinal tract  
 Remarks : Significant toxicity observed in testing

Species : Mouse  
 Application Route : oral (feed)  
 Exposure time : 97 w  
 NOAEL : 0.6 mg/kg body weight  
 Result : negative  
 Target Organs : Gastrointestinal tract  
 Remarks : Significant toxicity observed in testing

**IARC** No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

### Reproductive toxicity

Not classified based on available information.

### Components:

#### Propylene glycol:

Effects on fertility : Test Type: Three-generation reproduction toxicity study  
 Species: Mouse  
 Application Route: Ingestion  
 Result: negative

Effects on fetal development : Test Type: Embryo-fetal development  
 Species: Mouse  
 Application Route: Ingestion  
 Result: negative

### 1-Deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
 Species: Rat  
 Application Route: Oral  
 General Toxicity Parent: LOAEL: 1 - 1.5 mg/kg body weight  
 Symptoms: No fetal abnormalities.  
 Result: No effects on fertility and early embryonic

## Flunixin Paste Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10/11/2017
3.2	04/12/2018	656915-00007	Date of first issue: 05/02/2016

---

development were detected.

Effects on fetal development : Test Type: Development  
 Species: Rat  
 Application Route: Oral  
 General Toxicity Maternal: LOAEL: 2 mg/kg body weight  
 Embryo-fetal toxicity.: NOAEL: 2 mg/kg body weight  
 Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses

Test Type: Embryo-fetal development  
 Species: Rabbit  
 Application Route: Oral  
 General Toxicity Maternal: LOAEL: 3 mg/kg body weight  
 Embryo-fetal toxicity.: NOAEL: 3 mg/kg body weight  
 Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses

### STOT-single exposure

Not classified based on available information.

#### Components:

#### **1-Deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:**

Assessment : May cause respiratory irritation.

### STOT-repeated exposure

Causes damage to organs (Gastrointestinal tract, Kidney, Blood) through prolonged or repeated exposure.

#### Components:

#### **1-Deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:**

Target Organs : Gastrointestinal tract, Kidney, Blood  
 Assessment : Causes damage to organs through prolonged or repeated exposure.

### Repeated dose toxicity

#### Components:

#### **Propylene glycol:**

Species : Rat, male  
 NOAEL : 1,700 mg/kg  
 Application Route : Ingestion  
 Exposure time : 2 y

#### **1-Deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:**

Species : Rat  
 NOAEL : 2 mg/kg  
 LOAEL : < 4 mg/kg  
 Application Route : Oral  
 Exposure time : 6 w

## Flunixin Paste Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10/11/2017
3.2	04/12/2018	656915-00007	Date of first issue: 05/02/2016

---

Target Organs	:	Gastrointestinal tract
Species	:	Rat
NOAEL	:	1 mg/kg
Application Route	:	Oral
Exposure time	:	1 y
Target Organs	:	Gastrointestinal tract, Kidney
Species	:	Monkey
NOAEL	:	15 mg/kg
Application Route	:	Oral
Exposure time	:	90 d
Target Organs	:	Gastrointestinal tract, Blood
Species	:	Rabbit
LOAEL	:	80 mg/kg
Application Route	:	Dermal
Exposure time	:	21 d
Symptoms	:	Severe irritation
Species	:	Dog
LOAEL	:	11 mg/kg
Application Route	:	Oral
Exposure time	:	9 d
Target Organs	:	Gastrointestinal tract
Symptoms	:	Vomiting

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

#### Components:

#### **1-Deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:**

Inhalation	:	Symptoms: respiratory tract irritation
Skin contact	:	Symptoms: Skin irritation
Eye contact	:	Symptoms: Severe irritation
Ingestion	:	Symptoms: Gastrointestinal disturbance, bleeding, hypertension, Kidney disorders

---

## SECTION 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

#### **Propylene glycol:**

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l Exposure time: 96 h
------------------	---	--

## Flunixin Paste Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10/11/2017
3.2	04/12/2018	656915-00007	Date of first issue: 05/02/2016

---

Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia dubia (water flea)): 18,340 mg/l  
Exposure time: 48 h

Toxicity to algae : ErC50 (Skeletonema costatum (marine diatom)): 19,300 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Ceriodaphnia dubia (water flea)): 13,020 mg/l  
Exposure time: 7 d

Toxicity to microorganisms : NOEC (Pseudomonas putida): > 20,000 mg/l  
Exposure time: 18 h

### **1-Deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:**

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 28 mg/l  
Exposure time: 96 h  
Method: FDA 4.11

LC50 (Oncorhynchus mykiss (rainbow trout)): 5.5 mg/l  
Exposure time: 96 h  
Method: FDA 4.11

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 15 mg/l  
Exposure time: 48 h  
Method: FDA 4.08

Toxicity to algae : NOEC (Microcystis aeruginosa (blue-green algae)): 97 mg/l  
Exposure time: 13 d  
Method: FDA 4.01

NOEC (Selenastrum capricornutum (green algae)): 96 mg/l  
Exposure time: 12 d

### **Persistence and degradability**

#### **Components:**

#### **Propylene glycol:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 98.3 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F

### **1-Deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:**

Stability in water : Hydrolysis: 0 %(28 d)

### **Bioaccumulative potential**

#### **Components:**

#### **Propylene glycol:**

Partition coefficient: n- : log Pow: -1.07

**Flunixin Paste Formulation**

Version 3.2      Revision Date: 04/12/2018      SDS Number: 656915-00007      Date of last issue: 10/11/2017  
Date of first issue: 05/02/2016

---

octanol/water

**1-Deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:**

Partition coefficient: n- : log Pow: 1.34  
octanol/water

**Mobility in soil****Components:****1-Deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:**

Distribution among environ- : log Koc: 1.92  
mental compartments

**Other adverse effects**

No data available

---

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.  
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

**SECTION 14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

Not regulated as a dangerous good

**IATA-DGR**

Not regulated as a dangerous good

**IMDG-Code**

Not regulated as a dangerous good

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**Domestic regulation****49 CFR**

Not regulated as a dangerous good

---

**SECTION 15. REGULATORY INFORMATION****EPCRA - Emergency Planning and Community Right-to-Know****CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

---

## Flunixin Paste Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10/11/2017
3.2	04/12/2018	656915-00007	Date of first issue: 05/02/2016

---

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Acute toxicity (any route of exposure)  
 Serious eye damage or eye irritation  
 Specific target organ toxicity (single or repeated exposure)

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### US State Regulations

#### Pennsylvania Right To Know

Water	7732-18-5
Starch, oxidized	65996-62-5
Propylene glycol	57-55-6
1-Deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate	42461-84-7

#### California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

#### California Permissible Exposure Limits for Chemical Contaminants

Starch, oxidized	65996-62-5
------------------	------------

#### The ingredients of this product are reported in the following inventories:

AICS	: not determined
DSL	: not determined
IECSC	: not determined


## Flunixin Paste Formulation

Version 3.2      Revision Date: 04/12/2018      SDS Number: 656915-00007      Date of last issue: 10/11/2017  
 Date of first issue: 05/02/2016

### SECTION 16. OTHER INFORMATION

#### Further information

##### NFPA 704:



##### HMIS® IV:

<b>HEALTH</b>	*	<b>3</b>
<b>FLAMMABILITY</b>	<b>1</b>	
<b>PHYSICAL HAZARD</b>	<b>0</b>	

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

#### Full text of other abbreviations

US WEEL : USA. Workplace Environmental Exposure Levels (WEEL)  
 US WEEL / TWA : 8-hr TWA

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance

## Flunixin Paste Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 10/11/2017
3.2	04/12/2018	656915-00007	Date of first issue: 05/02/2016

---

Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 04/12/2018

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8