

SAFETY DATA SHEETS

This SDS packet was issued with item:

078466696

The safety data sheets (SDS) in this packet apply to the individual products listed below. Please refer to invoice for specific item number(s).

078466688 078466886

MATERIAL SAFETY DATA SHEET

SECTION 1. Product and Company Identification VITA FLEX E 5000

Product Code: VF-E 5000

Product Name: VITA FLEX E 5000 **Intended Use:** Feed Supplement for Horses

Chemical Family: FEED SUPPLEMENT

Manufacturer Name and Address:

Telephone Numbers:

Dates:

Vita-Flex Products

CHEMTREC (800)424-9300

Date Created:

06/07/2001

1302-B Lew Ross Road

Council Bluffs, IA. 51501

Marketing (800)848-2359

Revision: 08/27/2007

United States of America

Printed: 08/28/2007

Additional Identity Information

3000046 2-lb

3000047 4-lb

3000045 10-lb

SECTION 2. Composition/Information on Ingredients VITA FLEX E 5000

Hazardous Components (Chemical Name)	CAS #	Concentration
1. FEED GRADE INGREDIENTS	NA	100.0 %

OSHA PEL	ACGIH TLV
1. No data.	No data.

SECTION 3. Hazards Identification VITA FLEX E 5000

Emergency Overview

No data available.

Route(s) of Entry: Inhalation? Yes , Skin? No , Eyes? Yes , Ingestion? No

Potential Health Effects (Acute and Chronic)

No known health hazards. Not for human use.

Carcinogenicity: NTP? No , IARC Monographs? No , OSHA Regulated? No

Carcinogenicity/Other Information

No data available.

Recommended Exposure Limits

N/A

LD 50 / LC 50

N/A

Signs and Symptoms Of Exposure

Contact with skin, eye and/or inhalation of dust may cause irritation.

Medical Conditions Generally Aggravated By Exposure

Pre-existing eye and/or skin irritations; respiratory and/or gastrointestinal disorders.

SECTION 4. First Aid Measures
VITA FLEX E 5000

Emergency and First Aid Procedures

IF SWALLOWED: Induce vomiting, if patient is conscious. Contact physician.

IF INHALED: Remove patient to fresh air and seek medical attention for any breathing difficulty.

IF IN EYES: Rinse with plenty of water to remove dust and solids. Get medical attention if irritation occurs.

IN ON SKIN: Wash with plenty of soap and water.

Note to Physician

No data available.

SECTION 5. Fire Fighting Measures
VITA FLEX E 5000

Flash Pt: N.A. **Method Used:** No data.

Explosive Limits: LEL: NA UEL: NA

Extinguishing Media

Water, CO2 or as appropriate for surrounding materials.

Fire Fighting Instructions

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH approved or equivalent and full protective gear.

Flammable Properties and Hazards

None known

Hazardous Combustion Products

No data available.

SECTION 6. Accidental Release Measures VITA FLEX E 5000

Steps To Be Taken In Case Material Is Released Or Spilled

Sweep and/or scoop up spill, dispose of any unusable material in approved landfill. If dust generation occurs, clean-up personnel require respiratory protection.

SECTION 7. Handling and Storage VITA FLEX E 5000

Hazard Label Information:

Store away from incompatible material

Precautions To Be Taken in Handling

none

Precautions To Be Taken in Storing

No data available.

Other Precautions

KEEP OUT OF REACH OF CHILDREN. Not for human consumption.

SECTION 8. Exposure Controls/Personal Protection VITA FLEX E 5000

Respiratory Equipment (Specify Type)

Dust protectant face mask if necessary.

Eye Protection

Safety glasses to protect from dust.

Protective Gloves

none

Other Protective Clothing

none

Engineering Controls (Ventilation etc.)

Local Exhaust: sufficient

Special:

Mechanical (Gen):

Other:

Work/Hygienic/Maintenance Practices

Wash hands before eating, smoking, or using restroom. Clean up dusty situations.

SECTION 9. Physical and Chemical Properties VITA FLEX E 5000

Solubility Notes

Partly soluble in water

Physical States: Gas , Liquid , Solid

Boiling Point: N.A.

Melting Point: N.A.

Specific Gravity (Water = 1): N.A.

Density: No data.

Vapor Pressure (vs. Air or mm Hg): N.A.

Vapor Density (vs. Air = 1): N.A.

Evaporation Rate (vs Butyl Acetate=1): N.A.

Solubility in Water: No data.

Percent Volatile: N.A.

Saturated Vapor Concentration: No data.

Viscosity: No data.

pH: NA

Appearance and Odor

Light green granular powder with mild alfalfa odor.

SECTION 10. Stability and Reactivity VITA FLEX E 5000

Stability: Unstable Stable

Conditions To Avoid - Instability

Heat & Moisture.

Incompatibility - Materials To Avoid

As with all food/feed stuffs, avoid storage with or near toxic substances.

Hazardous Decomposition Or Byproducts

None known

Hazardous Polymerization: Will occur Will not occur

Conditions To Avoid - Hazardous Polymerization

Will not occur.

SECTION 11. Toxicological Information
VITA FLEX E 5000

No data available.

SECTION 12. Ecological Information
VITA FLEX E 5000

No data available.

SECTION 13. Disposal Considerations
VITA FLEX E 5000

Waste Disposal Method

Dispose of in accordance with Local, State and Federal regulations, usually in approved landfill.

SECTION 14. Transport Information
VITA FLEX E 5000

DOT Proper Shipping Name

No data available.

DOT Hazard Label: NONE

UN/NA Number: No dat

Additional Transport Information

No data available.

SECTION 15. Regulatory Information
VITA FLEX E 5000

No data available.

SECTION 16. Other Information
VITA FLEX E 5000

Supersedes Revision 06/04/2002

This product contains a blend of feed and/or foodstuffs. All ingredients contained in this product are defined as feed ingredients by the association of American Feed Control Officials (AAFCO). All ingredients are used in accordance with the definitions provided by AAFCO.

The information and data herein are believed to be accurate and have been compiled from sources believed to be reliable. It is offered for your consideration, investigation and verification.



Vita Flex E-5000 Premium Quality Vitamin E

Safety Data Sheet

Date of issue: 06/07/2001

Revision date: 04/09/2020

Supersedes: 08/27/2007

Version: 1.0

SECTION 1: Identification

1.1. Identification

Product form : Mixture
Trade name : Vita Flex E-5000 Premium Quality Vitamin E
Synonyms : 3000047

1.2. Recommended use and restrictions on use

Recommended use : Supplement for horses.
Restrictions on use : Avoid contact with eyes and clothing. Do not use or store near heat or open flame.

1.3. Supplier

Vita Flex Nutrition
1302-B Lew Ross Road
Council Bluffs, IA 51501
www.vitaflex.com
1-800-848-2359 - 7:00 am - 3:45 pm MST Monday - Friday

1.4. Emergency telephone number

Emergency number : 1-800-424-9300 - CHEMTREC
1-703-527-3887 - CHEMTREC - Outside North America - Collect Calls Accepted

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Combustible Dust May form combustible dust concentrations in air

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Signal word (GHS US) : Warning
Hazard statements (GHS US) : May form combustible dust concentrations in air

2.3. Other hazards which do not result in classification

Other hazards not contributing to the classification : Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%
Dried Grain Mixture	(CAS-No.) N/A	75 – 80
Calcium monocarbonate	(CAS-No.) 471-34-1	5
Mineral oil, white	(CAS-No.) 8042-47-5	1
* Trade secret	(CAS-No.) * Trade secret	17.9
Non-hazardous and/or does not meet criteria for classification	(CAS-No.) N/A	Balance

Comments : * The specific chemical identity has been withheld as a trade secret

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

Vita Flex E-5000 Premium Quality Vitamin E

Safety Data Sheet

First-aid measures after skin contact	: IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice and attention.
First-aid measures after ingestion	: IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth. Do NOT induce vomiting unless directed to do so by medical personnel.

4.2. Most important symptoms and effects (acute and delayed)

No additional information available

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media	: Use extinguishing agent suitable for surrounding fire.
Unsuitable extinguishing media	: Avoid heavy hose streams.

5.2. Specific hazards arising from the chemical

Explosion hazard	: Dust cloud can be ignited by a spark. Fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
Reactivity	: This material is friable and can create small dust particles during any handling, processing, and transfer operations. This material can form explosive dust/air suspensions that are ignitable under some conditions.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions	: Combustible dust - use low-pressure medium fog streams to avoid dust clouds. Ventilate closed spaces before entering. Eliminate ignition sources. Move containers away from the fire area if this can be done without risk.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment	: Avoid contact with skin, eyes and clothing. Wear suitable protective equipment.
Emergency procedures	: Evacuate unnecessary personnel. No flames, no sparks. Eliminate all sources of ignition. Ventilate spillage area. Avoid breathing dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: Exposure controls/personal protection.
Emergency procedures	: Contain spill and monitor for excessive dust accumulation. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Ventilate closed spaces before entering. Turn off electric power to area. As an immediate precautionary measure, isolate spill or leak area for at least 100 meters (330 feet) in all directions. Evacuate area.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	: Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Non-sparking tools should be used. Sweep or scoop spills, dispose of any unusable material in approved landfill. Use appropriate PPE.
-------------------------	---

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	: Avoid contact with skin, eyes and clothing. Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Ensure good ventilation of the work station. Avoid dust formation. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Provide local exhaust or general room ventilation. Wear personal protective equipment. Avoid breathing dust/fume/gas/mist/vapours/spray.
-------------------------------	---

Vita Flex E-5000 Premium Quality Vitamin E

Safety Data Sheet

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in original container. Store in a well-ventilated place. Keep cool. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Incompatible materials : Heat, sparks, open flame. Strong oxidizers. Strong acids. Strong bases.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Calcium monocarbonate (471-34-1)

NIOSH	NIOSH REL (TWA) (mg/m ³)	10 mg/m ³ (total dust) 5 mg/m ³ (respirable dust)
-------	--------------------------------------	--

Mineral oil, white (8042-47-5)

ACGIH	ACGIH TWA (mg/m ³)	5 mg/m ³
ACGIH	ACGIH STEL (mg/m ³)	10 mg/m ³
OSHA	OSHA PEL (TWA) (mg/m ³)	5 mg/m ³

* Trade secret (* Trade secret)

OSHA	OSHA PEL (TWA) (mg/m ³)	20 mppcf [(80 mg/m ³)/%SiO ₂ .]
NIOSH	NIOSH REL (TWA) (mg/m ³)	6 mg/m ³

8.2. Appropriate engineering controls

Appropriate engineering controls : It is recommended that dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen-deficient environment. Adequate ventilation systems as needed to control concentrations of airborne contaminants below applicable threshold limit values.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

No respiratory protection needed under normal use conditions. In case of insufficient ventilation, use NIOSH approved respiratory protection.



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid

Appearance : Green granular powder

Color : Green

Odor : Alfalfa

Odor threshold : No data available

pH : No data available

Vita Flex E-5000 Premium Quality Vitamin E

Safety Data Sheet

Melting point	: No data available
Freezing point	: Not applicable
Boiling point	: No data available
Flash point	: Not applicable
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Non-flammable
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: 676 – 753 g, Average: 6.91.2 g
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No data available
Viscosity, kinematic	: Not applicable
Viscosity, dynamic	: No data available
Explosion limits	: Not applicable
Explosive properties	: Combustible dust
Oxidizing properties	: Not applicable

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

This material is friable and can create small dust particles during any handling, processing, and transfer operations. This material can form explosive dust/air suspensions that are ignitable under some conditions.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur. May form combustible dust concentrations in the air.

10.4. Conditions to avoid

Avoid dust formation. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents. Heat, sparks, open flame.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Mineral oil, white (8042-47-5)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal	> 2000 mg/kg
LC50 inhalation rat (mg/l)	> 5 mg/l/4h
* Trade secret (* Trade secret)	
LD50 oral	> 5000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 inhalation rat (mg/l)	> 2.2 mg/l (Exposure time: 1 h)
IARC group	3 - Not classifiable

GHS-US Properties	Classification
Acute toxicity (oral)	Not classified
Acute toxicity (dermal)	Not classified
Acute toxicity (inhalation)	Not classified
Skin corrosion/irritation	Not classified

Vita Flex E-5000 Premium Quality Vitamin E

Safety Data Sheet

Serious eye damage/irritation	Not classified
Respiratory or skin sensitization	Not classified
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive toxicity	Not classified
Specific target organ toxicity (single exposure)	Not classified
Specific target organ toxicity (repeated exposure)	Not classified
Aspiration hazard	Not classified

Potential health effects

Inhalation

- Acute : Exposure to dust may cause nasal and respiratory irritation.
 Chronic : Repeated or prolonged inhalation of dust may cause respiratory irritation.

Skin

- Acute : May cause mild mechanical irritation.

Eye

- Acute : May cause mild mechanical irritation.

Ingestion

- Acute : Under normal conditions of use, no health effects are expected.

- Mutagenicity** : Not classified.

- Carcinogenicity** : Not classified.

- Reproductive Effects** : Not classified.

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

SECTION 14: Transport information

	UN number	Proper Shipping Name	Transport hazard class(es)	Packing group	Environmental hazards
DOT	Not regulated	Not regulated	Not regulated	Not regulated	Not applicable
IMDG	Not regulated	Not regulated	Not regulated	Not regulated	Not applicable
IATA	Not regulated	Not regulated	Not regulated	Not regulated	Not applicable

Vita Flex E-5000 Premium Quality Vitamin E

Safety Data Sheet

SECTION 15: Regulatory information

15.1. US Federal regulations

Calcium mon carbonate (471-34-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Mineral oil, white (8042-47-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

* Trade secret (* Trade secret)
--

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. US State regulations

No additional information available

SECTION 16: Other information

Date of issue	: 07 June 2001
Revision date	: 09 April 2020
Supersedes	: 27 August 2007

SDS US (GHS HazCom 2012) - CGP

The information and statements herein are believed to be reliable but are not to be construed as a warranty or representation for which we assume legal responsibility. Users should undertake sufficient verification and testing to determine the suitability for their own particular purpose of any information or products referred to herein. NO WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE IS MADE.