

SAFETY DATA SHEETS

This SDS packet was issued with item:

078924377

N/A

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 11.03.2014

Page 1 of 12

Revision date: 03.31.2021

Vetameg® (Flunixin Meglumine) Equine Paste

SECTION 1: Identification

Product identifier

Product name: Vetameg® (Flunixin Meglumine) Equine Paste
Product code: 21266375

Recommended use of the product and restriction on use

Relevant identified uses: For the alleviation of inflammation and pain associated with musculoskeletal disorders in the horse.
Uses advised against: Not determined or not applicable.
Reasons why uses advised against: Not determined or not applicable.

Manufacturer or supplier details

Supplier:
United States
Aspen Veterinary Resources Ltd
3155 W. Heartland Drive
Liberty, MO 64068
1-800-792-1238

Emergency telephone number:

United States
CHEMTREC
Within USA and Canada: 1-800-424-9300 (24 hours)
Outside USA and Canada: +1-703-527-3887 (24 hours)

SECTION 2: Hazard(s) identification

GHS classification:

Acute toxicity (oral), category 4
Acute toxicity (inhalation), category 3
Skin irritation, category 2
Eye irritation, category 2A

Label elements

Hazard pictograms:



Signal word: Danger

Hazard statements:

H315 Causes skin irritation
H319 Causes serious eye irritation
H302 Harmful if swallowed
H331 Toxic if inhaled

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 11.03.2014

Page 2 of 12

Revision date: 03.31.2021

Vetameg® (Flunixin Meglumine) Equine Paste

Precautionary statements:

- P264 Wash hands thoroughly after handling
- P280 Wear protective gloves/protective clothing/eye protection/face protection
- P270 Do not eat, drink or smoke when using this product
- P261 Avoid breathing dust/fume/gas/mist/vapors/spray
- P271 Use only outdoors or in a well-ventilated area
- P302+P352 IF ON SKIN: Wash with plenty of water/soap
- P362 Take off contaminated clothing and wash it before reuse
- P321 Specific treatment (see supplemental first aid instructions on this label)
- P332+P313 If skin irritation occurs: Get medical advice/attention
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- P337+P313 If eye irritation persists: Get medical advice/attention
- P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
- P330 Rinse mouth
- P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
- P311 Call a POISON CENTER/doctor
- P403+P233 Store in a well-ventilated place. Keep container tightly closed
- P405 Store locked up
- P501 Dispose of contents/container in accordance with local regulations.

Hazards not otherwise classified: None

Supplemental label elements:

20 percent of the mixture consists of ingredient(s) of unknown acute oral toxicity

60 percent of the mixture consists of ingredient(s) of unknown acute inhalation toxicity

SECTION 3: Composition/information on ingredients

Identification	Name	Weight %
CAS number: 50-70-4	Sorbitol	20
CAS number: 112945-52-5	Silica, amorphous, fumed, cryst.-free	1-10
CAS number: 12199-37-0	Smectite-group minerals	1-10
CAS number: 11138-66-2	Xanthan gum	1-10
CAS number: 57-55-6	Propane-1,2-diol	Proprietary
CAS number: 42461-84-7	1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate	8.3
CAS number: 13463-67-7	Titanium Dioxide	1

Additional Information:

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of the OSHA Hazard Communication Standard (29 CFR §1910.1200).

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 11.03.2014

Page 3 of 12

Revision date: 03.31.2021

Vetameg® (Flunixin Meglumine) Equine Paste

SECTION 4: First aid measures

Description of first aid measures

General notes:

Show this Safety Data Sheet to the doctor in attendance. This product is toxic by one or more routes of exposure (inhalation, ingestion, skin contact). Take precautions to ensure your own safety before attempting rescue. Wear appropriate safety eyewear, gloves, protective clothing and respiratory protection to prevent exposure. See Section 8 of this SDS for personal protective equipment recommendations. Do not use the mouth to mouth method if victim has ingested or inhaled the product. Give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper device.

After inhalation:

If inhaled, remove person to fresh air and place in a position comfortable for breathing. Keep person at rest. If breathing is difficult, administer oxygen. If breathing has stopped, provide artificial respiration. If experiencing respiratory symptoms, seek medical advice/attention.

After skin contact:

Remove contaminated clothing and shoes. Rinse skin with copious amounts of water [shower] for several minutes. Launder contaminated clothing before reuse. If symptoms develop or persist, seek medical advice/attention.

After eye contact:

Rinse eyes with plenty of gently flowing lukewarm water for 15 minutes. Remove contact lenses if present and easy to do so. Protect unexposed eye. If symptoms develop or persist, seek medical advice/attention.

After swallowing:

If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. If symptoms develop or persist, seek medical advice/attention.

Most important symptoms and effects, both acute and delayed

Acute symptoms and effects:

Skin contact may result in redness, pain, burning and inflammation.

Eye contact may result in irritation, redness, pain, inflammation, itching, burning and tearing.

Acute oral exposure may lead to dizziness, drowsiness, headache, breathing difficulties, nausea, vomiting, abdominal pain, and lowering of consciousness. Adverse effects are dependent on exposure (dose, concentration, contact time).

Acute inhalation exposure may lead to dizziness, drowsiness, headache, breathing difficulties, nausea, vomiting, abdominal pain, and lowering of consciousness. Adverse effects are dependent on exposure (dose, concentration, contact time).

Delayed symptoms and effects:

Effects are dependent on exposure (dose, concentration, contact time).

Symptoms of exposure may be delayed.

Immediate medical attention and special treatment

Specific treatment:

Not determined or not applicable.

Notes for the doctor:

Treat symptomatically.

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 11.03.2014

Page 4 of 12

Revision date: 03.31.2021

Vetameg® (Flunixin Meglumine) Equine Paste

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media:

Water mist/fog, carbon dioxide, dry chemical or alcohol resistant foam.

Unsuitable extinguishing media:

Do not use water jet.

Specific hazards during fire-fighting:

Thermal decomposition may produce irritating/toxic fumes/gases.

Special protective equipment for firefighters:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full-face piece operated in positive pressure mode.

Special precautions:

Avoid contact with skin, eyes, hair and clothing. Do not breathe fumes/gas/mists/aerosols/vapors/dusts. Move containers from fire area if safe to do so. Use water spray/fog for cooling fire exposed containers. Avoid unnecessary run-off of extinguishing media which may cause pollution.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Evacuate unnecessary personnel and prevent entry. Ventilate area. Extinguish any sources of ignition. Wear recommended personal protective equipment (see Section 8). Do not get on skin, eyes or on clothing. Avoid breathing mist, vapor, dust, fume and spray. Do not walk through spilled material. Wash thoroughly after handling. Remove contaminated clothing with proper techniques in order to prevent contact with skin or eyes. Place contaminated clothing in a sealed container for future disposal.

Environmental precautions:

Prevent further leakage or spillage if safe to do so. Prevent from reaching drains, sewers and waterways. Discharge into the environment must be avoided.

Methods and material for containment and cleaning up:

Toxic if inhaled. Put on appropriate personal protective equipment, including a self-contained breathing apparatus (see Section 8) before entering area of spill or leak. Avoid breathing dust, mist, fumes, vapors or spray. Do not touch damaged containers or spilled material unless wearing appropriate personal protective clothing. Stop leak if you can do it without risk. Contain and collect spillage and place in suitable container for future disposal. Dispose of in accordance with all applicable regulations (see Section 13).

Reference to other sections:

For personal protective equipment see Section 8. For disposal see Section 13.

SECTION 7: Handling and storage

Precautions for safe handling:

Toxic if inhaled. Do not handle material unless wearing appropriate personal protective equipment, including respiratory protection (see Section 8). Use only with adequate ventilation. Do not breathe mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Open container slowly to prevent dispersal of material into the air. Prevent contact with skin, eyes and clothing. Handle with caution. Do not handle broken or punctured containers. Immediately report spills, leaks or problems with hazard control measures. Wash thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use.

Conditions for safe storage, including any incompatibilities:

Store in cool, dry, well-ventilated location out of direct sunlight and away from exit paths. Inspect containers

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 11.03.2014

Page 5 of 12

Revision date: 03.31.2021

Vetameg® (Flunixin Meglumine) Equine Paste

and storage area regularly for signs of leak and damage. Store containers at a convenient height for handling, below eye level if possible. High shelving increases the risk of dropping containers, personal injury and exposure. Ensure that appropriate fire fighting and spill-clean up equipment is readily available. Keep away from food and beverages. Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Store separately. Keep container tightly sealed. Store away from incompatible materials (See Section 10).

SECTION 8: Exposure controls/personal protection

Only those substances with limit values have been included below.

Occupational Exposure limit values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
WEEL	Propane-1,2-diol	57-55-6	8-Hour TWA: 10 mg/m ³
NIOSH	Silica, amorphous, fumed, cryst.-free	112945-52-5	REL: 6 mg/m ³
	Silica, amorphous, fumed, cryst.-free	112945-52-5	IDLH: 3000 mg/m ³
	Titanium Dioxide	13463-67-7	Level Limit Value: 0.2 mg/m ³ (LOQ - lowest feasible concentration)
	Titanium Dioxide	13463-67-7	REL-TWA: 0.3 mg/m ³ (for ultra fine TiO ₂ - up to 10 hrs.)
	Titanium Dioxide	13463-67-7	IDLH: 5000 mg/m ³
OSHA	Silica, amorphous, fumed, cryst.-free	112945-52-5	8-Hour TWA: 0.8 mg/m ³
	Titanium Dioxide	13463-67-7	8-Hour TWA-PEL: 15 mg/m ³ (total dust)
United States(California)	Silica, amorphous, fumed, cryst.-free	112945-52-5	8-Hour TWA: 6 mg/m ³ (total dust; precipitated; gel)
	Silica, amorphous, fumed, cryst.-free	112945-52-5	8-Hour TWA: 3 mg/m ³ (respirable dust)
	Titanium Dioxide	13463-67-7	8-Hour TWA-PEL: 10 mg/m ³ (total dust)
	Titanium Dioxide	13463-67-7	8-Hour TWA: 5 mg/m ³ (respirable fraction)
ACGIH	Titanium Dioxide	13463-67-7	8-Hour TWA: 10 mg/m ³

Biological limit values:

No biological exposure limits noted for the ingredient(s).

Information on monitoring procedures:

Not determined or not applicable.

Appropriate engineering controls:

Toxic if inhaled. Emergency eye wash stations and safety showers should be available in the immediate vicinity of use or handling. Provide adequate ventilation to maintain the airborne concentrations of vapor, mists, and/or dusts below the applicable workplace exposure limits, while observing recognized national standards (or equivalent).

Personal protection equipment

Eye and face protection:

Use safety glasses with side shields or goggles. Use eye protection equipment that has been tested and approved by recognized national standards (or equivalent).

Skin and body protection:

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 11.03.2014

Page 6 of 12

Revision date: 03.31.2021

Vetameg® (Flunixin Meglumine) Equine Paste

prior to use. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).

Respiratory protection:

If engineering controls do not maintain airborne concentrations below the applicable workplace exposure limits, or to an acceptable level (if exposure limits have not been established), a respirator approved by recognized national standards (or equivalent) must be worn.

General hygienic measures:

When handling chemical products, do not eat, drink or smoke. Wash hands after handling, before breaks, and at the end of the workday. Avoid contact with skin, eyes and clothing. Wash contaminated clothing before reuse. Perform routine housekeeping.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance	White to off-white paste
Odor	Not determined or not available.
Odor threshold	Not determined or not available.
pH	Not determined or not available.
Melting point/freezing point	Not determined or not available.
Initial boiling point/range	Not determined or not available.
Flash point (closed cup)	Not determined or not available.
Evaporation rate	Not determined or not available.
Flammability (solid, gas)	Non-flammable
Upper flammability/explosive limit	Not determined or not available.
Lower flammability/explosive limit	Not determined or not available.
Vapor pressure	Not determined or not available.
Vapor density	Not determined or not available.
Density	Not determined or not available.
Relative density	1.2
Solubilities	Not determined or not available.
Partition coefficient (n-octanol/water)	Not determined or not available.
Auto/Self-ignition temperature	Not determined or not available.
Decomposition temperature	Not determined or not available.
Dynamic viscosity	Not determined or not available.
Kinematic viscosity	Not determined or not available.
Explosive properties	Not determined or not available.
Oxidizing properties	Not determined or not available.

Other information

SECTION 10: Stability and reactivity

Reactivity:

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 11.03.2014

Page 7 of 12

Revision date: 03.31.2021

Vetameg® (Flunixin Meglumine) Equine Paste

Not reactive under recommended handling and storage conditions.

Chemical stability:

Stable under recommended handling and storage conditions.

Possibility of hazardous reactions:

Hazardous reactions are not anticipated under recommended conditions of handling and storage.

Conditions to avoid:

Avoid confined spaces, extreme heat, open flames, hot surfaces, sparks, ignition sources and incompatible materials.

Incompatible materials:

Strong acids, strong bases, strong oxidizers.

Hazardous decomposition products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

Acute toxicity

Assessment:

Harmful if swallowed.

Toxic if inhaled.

Product data: No data available.

Substance data:

Name	Route	Result
Sorbitol	oral	LD50 rat: 15900 mg/kg
Propane-1,2-diol	oral	LD50 Rat: 21000 - 33700 mg/kg
	dermal	LD50 Rabbit: >2000 mg/kg
1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate	Oral ATE	LD50 Rat: 100 mg/kg
	Inhalation ATE	LC50 Rat: 0.05 mg/L
Silica, amorphous, fumed, cryst.-free	oral	LD50 Rat: 3160 mg/kg
Titanium Dioxide	oral	LD50 Mouse: > 5000 mg/kg
	inhalation	LC50 Rat: 5.09 mg/L (4 hr)

Skin corrosion/irritation

Assessment:

Causes skin irritation.

Product data:

No data available.

Substance data:

Name	Result
1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate	Causes skin irritation.
Silica, amorphous, fumed, cryst.-free	Causes skin irritation.

Serious eye damage/irritation

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 11.03.2014

Page 8 of 12

Revision date: 03.31.2021

Vetameg® (Flunixin Meglumine) Equine Paste

Assessment:

Causes serious eye irritation.

Product data:

No data available.

Substance data:

Name	Result
1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate	Causes serious eye irritation.
Silica, amorphous, fumed, cryst.-free	Causes serious eye irritation.

Respiratory or skin sensitization

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Carcinogenicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

International Agency for Research on Cancer (IARC):

Name	Classification
Silica, amorphous, fumed, cryst.-free	Group 3
Titanium Dioxide	Group 2B

National Toxicology Program (NTP): None of the ingredients are listed.

OSHA Carcinogens: Not applicable

Germ cell mutagenicity

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Reproductive toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Specific target organ toxicity (single exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data:

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 11.03.2014

Page 9 of 12

Revision date: 03.31.2021

Vetameg® (Flunixin Meglumine) Equine Paste

Name	Result
1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate	May cause respiratory irritation.
Silica, amorphous, fumed, cryst.-free	May cause respiratory irritation.

Specific target organ toxicity (repeated exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Aspiration toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Information on likely routes of exposure:

Inhalation, ingestion, skin and eye contact.

Symptoms related to the physical, chemical and toxicological characteristics:

See section 4 of this SDS.

Other information:

Airborne, unbound particles of respirable size are known to cause cancer.

SECTION 12: Ecological information

Acute (short-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Name	Result
Propane-1,2-diol	EC50 Daphnia magna: 43500 mg/L (48 hr)
	LC50 Oncorhynchus mykiss: 40613 mg/L (96 hr)

Chronic (long-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Name	Result
Propane-1,2-diol	EC50 Selenastrum capricornutum: 18100 mg/L (14 days)

Persistence and degradability

Product data: No data available.

Substance data:

Name	Result
Propane-1,2-diol	Readily biodegradable (80% degradation in 28 days).

Bioaccumulative potential

Product data: No data available.

Substance data:

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 11.03.2014

Page 10 of 12

Revision date: 03.31.2021

Vetameg® (Flunixin Meglumine) Equine Paste

Name	Result
Sorbitol	Not expected to bioaccumulate (log Kow = -2.20).
Propane-1,2-diol	Low potential for bioaccumulation (BCF: 0.09).

Mobility in soil

Product data: No data available.

Substance data: No data available.

Results of PBT and vPvB assessment

Product data:

PBT assessment: This product does not contain any substances that are assessed to be a PBT.

vPvB assessment: This product does not contain any substances that are assessed to be a vPvB.

Substance data:

PBT assessment:

Propane-1,2-diol	The substance is not PBT.
------------------	---------------------------

vPvB assessment:

Propane-1,2-diol	The substance is not vPvB.
------------------	----------------------------

Other adverse effects: No data available.

SECTION 13: Disposal considerations

Disposal methods:

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities

Contaminated packages:

Not determined or not applicable.

SECTION 14: Transport information

United States Transportation of dangerous goods (49 CFR DOT)

UN number	1851
UN proper shipping name	Medicine, liquid, toxic, n.o.s. (1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate)
UN transport hazard class(es)	6.1 
Packing group	III
Environmental hazards	None
Special precautions for user	None
Passenger air/rail	60 L
Cargo aircraft only	220 L
Stowage category	C. Clear of living quarters.

International Maritime Dangerous Goods (IMDG)

UN number	1851
UN proper shipping name	Medicine, liquid, toxic, n.o.s. (1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate)

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 11.03.2014

Page 11 of 12

Revision date: 03.31.2021

Vetameg® (Flunixin Meglumine) Equine Paste

UN transport hazard class(es)	6.1	
Packing group	III	
Environmental hazards	None	
Special precautions for user	None	
EMS number	F-A, S-A	
Stowage category	C. Clear of living quarters.	
Excepted quantities	E1	
Limited quantity	5 L	

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN number	1851	
UN proper shipping name	Medicine, liquid, toxic, n.o.s. (1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate)	
UN transport hazard class(es)	6.1	
Packing group	III	
Environmental hazards	None	
Special precautions for user	None	
ERG code	6 L	
Excepted quantities	E1	
Passenger and cargo	60 L	
Cargo aircraft only	220 L	
Limited quantity	2 L	

SECTION 15: Regulatory information

United States regulations

Inventory listing (TSCA):

50-70-4	Sorbitol	Listed - Active
57-55-6	Propane-1,2-diol	Listed - Active
42461-84-7	1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate	Exempt
112945-52-5	Silica, amorphous, fumed, cryst.-free	Exempt
12199-37-0	Smectite-group minerals	Listed - Active
11138-66-2	Xanthan gum	Listed - Active
13463-67-7	Titanium Dioxide	Listed - Active

Significant New Use Rule (TSCA Section 5): None of the ingredients are listed.

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial preparation date: 11.03.2014

Page 12 of 12

Revision date: 03.31.2021

Vetameg® (Flunixin Meglumine) Equine Paste

Export notification under TSCA Section 12(b): None of the ingredients are listed.

SARA Section 302 extremely hazardous substances: None of the ingredients are listed.

SARA Section 313 toxic chemicals: None of the ingredients are listed.

CERCLA: None of the ingredients are listed.

RCRA: None of the ingredients are listed.

Section 112(r) of the Clean Air Act (CAA): None of the ingredients are listed.

Massachusetts Right to Know:

112945-52-5	Silica, amorphous, fumed, cryst.-free	Listed
13463-67-7	Titanium Dioxide	Listed

New Jersey Right to Know:

57-55-6	Propane-1,2-diol	Listed
13463-67-7	Titanium Dioxide	Listed

New York Right to Know:

112945-52-5	Silica, amorphous, fumed, cryst.-free	Listed
13463-67-7	Titanium Dioxide	Listed

Pennsylvania Right to Know:

57-55-6	Propane-1,2-diol	Listed
112945-52-5	Silica, amorphous, fumed, cryst.-free	Listed
13463-67-7	Titanium Dioxide	Listed

California Proposition 65:

⚠️WARNING: This product can expose you to Titanium Dioxide; which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

SECTION 16: Other information

Abbreviations and Acronyms: None

Disclaimer:

This product has been classified in accordance with OSHA HCS 2012 guidelines. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

NFPA: 2-0-0

HMIS: 2-0-0

Initial preparation date: 11.03.2014

Revision date: 03.31.2021

Revision Notes:

Revision Date	Notes
2021-03-31	Revision 2.

End of Safety Data Sheet